

FOR OFFICIAL USE ONLY
DECK LOG-TITLE PAGE
NAVPERS 3100/1 (1-66) (Formerly NAVPERS 716)

S/N-0105-404-1550



DECK LOG BOOK

OF THE

U.S.S. WADDELLDDG-24

IDENTIFICATION NUMBER

Attached to { THIRTY - SECOND Division,
THIRD Squadron,
THIRD Flotilla,
SEVENTH Fleet,
----- Naval District,

Commencing 0001, 1 NOVEMBER, 19 68,
(zone time and date)at YOKOSUKA, JAPAN,
(location)and ending 2400, 30 NOVEMBER, 19 68,
(zone time and date)at I CORPS, SOUTH VIET-NAM
(location)

Approved by: L. O. Armel Commanding
L. O. ARMEL, II, CDR, USN

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

LOG BOOK

1951

1951

1951

1951

1951

1951

1951

1951

1951

1951

1951

1951

1951

1951

1951

1951

1951

1951

1951

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION 9(I) DATE FRIDAY 1 NOVEMBER 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. FLEET ACTIVITY, TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 7, PIER 6, U.S. NAVAL FLEET ACTIVITY, YOKOSUKA, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED. SHIP IS STEAMING IN AN AUXILIARY STATUS RECEIVING FRESH WATER FROM THE PIER. CONDITION OF READINESS II AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. OTHER SHIPS PRESENT INCLUDE USS GEORGE K MACKENZIE (DD-836), VARIOUS UNITS OF THE UNITED STATES PACIFIC FLEET, VARIOUS UNITS OF THE JAPANESE NATIONAL MARITIME SELF DEFENSE FORCE, YARD AND DISTRICT CRAFT. SOPA IS COMDESRON 13 EMBARKED THIS SHIP.

William H. Gaik
WILLIAM H. GAIK
LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

William H. Gaik
WILLIAM H. GAIK
LTJG USNR

08-12 MOORED AS BEFORE.

DF Beckwith
DF BECKWITH, LTJG, USN

12-16 MOORED AS BEFORE.

DF Beckwith
DF BECKWITH, LTJG, USN

16-20 MOORED AS BEFORE.

DF Beckwith
DF BECKWITH, LTJG, USN

20-24 MOORED AS BEFORE.

DF Beckwith
DF BECKWITH, LTJG, USN

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 24)

DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9 I DATE SATURDAY 2 NOVEMBER 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA JAPAN TO

POSITION	ZONE	TIME
0800		
L <u></u>	BY <u></u>	
λ <u></u>	BY <u></u>	

POSITION	ZONE	TIME
1200		
L <u>35-06.8 N</u>	BY <u>3</u>	
λ <u>139-43.7 E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>33-43.2 N</u>	BY <u>2</u>	
λ <u>137-01.0 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 7 PIER 6, U.S. NAVAL STATION, YOKOSUKA, JAPAN, WITH SIX (6) STANDARD MOORING LINES DOUBLED. CONDITION OF READINESS VI AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 2A & 2B GENERATORS AND 2B BOILER ARE ON THE LINE. THE SHIP IS RECEIVING VARIOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. SEVENTH FLEET SOPA IS COMDESRON 13 EMBARKED IN WADDELL 0325 NICHOLS, F.W., 3247622, FT6C, DEPARTED SHIP ON ORDERS TO DUTY ON USS TRUXTON DLG(N) 35.

R.M. Howell

R.M. HOWELL ENS, USNR

04-08 MOORED AS BEFORE 0430 JOYNER, M.F., 7758393, PN3, DEPARTED SHIP ON ORDERS TO NAURECSTA, TREASURE ISLAND, FOR SEPARATION. 0530 HUGHES, GLENN M. LT, USNR, 684068/1105, ADAMS, C.R. ICI, 3836082, AND POSGATE, E.D. SK3, 7933511 DEPARTED THE SHIP ON ORDERS.

R.M. Howell

R.M. HOWELL ENS, USNR

08-12 MOORED AS BEFORE. 0830 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. SET MATERIAL CONDITION YOKE. 0845 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. 0930 STATIONED THE SPECIAL SEA DETAIL. 0940 SECURED THE SPECIAL SEA DETAIL. 1030 SET THE SPECIAL SEA DETAIL. 1040 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. DRAFT: FORWARD 15FT, AFT 15FT6IN. 1058 UNDERWAY FOR KAOHSIUNG, TAIWAN, IN COMPLIANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE AND COMDESRON 13 MSG LOI 3102312 OCT 68. MANEUVERING TO CLEAR THE BERTH. CAPTAIN COMING, NAVIGATOR ON THE BRIDGE. 1106 STEERING VARIOUS COURSES AT VARIOUS SPEEDS STANDING OUT OF YOKOSUKA HARBOR AND TOKYO WAN. 1135 SECURED THE SPECIAL SEA DETAIL. SET READINESS CONDITION FOUR. STEERING CSE 165, SPD 20 KTS. 1139 000 WAS GIVEN THE DECK AND COMM. 1141 C/C 180. 1144 C/C 196. C/S 22 KTS. 1158 C/C 232.

J.D. Walker

J.D. WALKER LTJG USN

EXAMINED

J.T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE SATURDAY 2 NOVEMBER, 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE ¹²⁰⁷ C/C 236°. 1208 C/C TO 232°. 1304 C/C TO 220°. 1305 C/C TO 210°. 1306 C/C TO 232°. 1310 C/C 235°. 1324 C/C 212°. 1332 C/C TO 220°. 1359 EXERCISED THE CREW AT GENERAL QUARTERS. 1410 C/C TO 212°. 1428 C/C TO 250°. 1430 C/C TO 230°. 1501 C/C TO 242°. 1505 SECURED FROM GENERAL QUARTERS.

D.W. Kuypers
D.W. KUYPERS, LT, USNR

16-18 Underway as before. 1746 C/C to 200° T, C/S to 18 KTS.

J.E. Helmann
J.E. HELMANN, LT USN

18-20 UNDERWAY AS BEFORE. 1810 C/C TO 265°. C/S TO 22 KTS. 1825 C/C TO 275°. 1843 C/C TO 242°.

D.W. Taylor
D.W. TAYLOR LTJG, USNR

20-24 UNDERWAY AS BEFORE. 2242 C/S 14 KTS.

J.D. Walker
J.D. WALKER LT USN

EXAMINED:

J.T. Alexander
J.T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 (I) DATE SUNDAY 3 NOVEMBER 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO KAO HSIUNG, TAIWAN

POSITION	ZONE	TIME
0800		
L <u>32-05.2 N</u>	BY <u>1</u>	
λ <u>133-33.8 E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>31-30.7 N</u>	BY <u>1</u>	
λ <u>132-12.5 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>30-16.9 N</u>	BY <u>2</u>	
λ <u>129-35.2 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE FROM YOKOSUKA, JAPAN TO KAO HSIUNG, TAIWAN ON BASE COURSE 242° SPEED 14 KTS CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. SOPA AND OTC IS COMDESRON 13 EMBARKED THIS SHIP 0001 COMMENCED 15 KT ECONOMY RUN. 0214 HELD AFTER STEERING DRILL 0248 % 230° TO AVOID SKUNK 0 BEARING 229°T RANGE 25,000 YARDS. 0258 % 242°

D.W. Kuypers
D.W. KUYPERS, LT, USNR

04-08 Underway as before. 0605 c/c to 200°T 0627 c/c to 242°T 0630 USS MACKENZIE (DD 839) proceeding to station 2 column open order at double standard distance. When on station she bears 066°T range 1000 yards. 0636 c/s to 22 KNOTS.

J.E. Helmann
LT USN

08-12 UNDERWAY AS BEFORE. 0752 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. 0823 C/C TO 257° 0837 C/C TO 242°.

D.W. Taylor
D.W. TAYLOR LTJG, USNR

12-16 UNDERWAY AS BEFORE. 1234 % 265. 1235 % 267. 1242 % 242. 1305 % COMMENCED Z-13-CC TACTICAL MANEUVERING EXERCISE WITH USS GEORGE K. MACKENZIE. STEERING VARIOUS COURSES AND SPEEDS. 1443 COMPLETED Z-13-CC. % 200. c/s 22 KTS. 1449 % 25 KTS PROCEEDING TO STATION FOR Z-12-CM. 1455 % 250. % 244 AT 1559.

J.D. Walker
J.D. WALKER LT USN

16-18 UNDERWAY AS BEFORE. 1639 FINEX EXERCISE Z-12-CM. 1640 c/s 22 KTS. 1740 % 224T. 1748 C/C 240°T.

D.W. Kuypers
D.W. KUYPERS, LT, USNR

EXAMINED

J.T. Alexander
J.T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE SUNDAY, 3 NOVEMBER 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

18-20 UNDERWAY AS BEFORE.J. E. Helman
LT USN20-24 UNDERWAY AS BEFORE.D. W. Taylor
D. W. TAYLOR, LTJG, USNR

EXAMINED:

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 I / 8 H DATE Monday 4 NOVEMBER 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO KAOHSIUNG, TAIWAN

POSITION	ZONE	TIME
0800		
L <u>28-02.0 N</u> BY <u>1</u>		
λ <u>125-26.8 E</u> BY <u>1</u>		

POSITION	ZONE	TIME
1200		
L <u>27-16.7 N</u> BY <u>1</u>		
λ <u>124-16.0 E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>25-39.3 N</u> BY <u>2</u>		
λ <u>121-16.2 E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE, ENROUTE FROM YOKOSUKA, JAPAN TO KAOHSIUNG, TAIWAN IN COMPANY WITH USS GEORGE K. MACKENZIE (DD-836). MACKENZIE DETACHED WHILE CONDUCTING ENGINEERING TRIAL. BASE CSE 240, SP 22 KTS. SOPA AND OTC IS COMDESRON 13 EMBARKED THIS SHIP. CONDITION OF READINESS TV AND MATERIAL CONDITION YOKE ARE SET. SHIP IS DARKENED WITH EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0001 C/C 235°. 0146 C/C 250°. 0154 C/C TO 235°.

J.D. Walker
J.D. WALKER, LT, USN

04-08 UNDERWAY AS BEFORE. 0440 C/C 245°. 0442 C/C 225°. 0452 C/C 235°

D.W. Kuypers
D.W. KUYPERS, LT, USNR

08-12 UNDERWAY AS BEFORE. 0822 RECEIVED MUSTER REPORT: NO UNAUTHORIZED ABSENTEES. 0830 EXERCISED THE CREW AT GENERAL QUARTERS. 0833 C/S 20 KTS. 0834 MATERIAL CONDITION ZEBRA IS SET THROUGHOUT THE SHIP. 0909 USS GEORGE K. MACKENZIE (DD-836) MADE RENDEZVOUS WITH THIS SHIP AND TOOK ASSIGNED STATION. 0914 SET MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 0922 SECURED FROM GENERAL QUARTERS. SET CONDITION OF READINESS TV.

J.E. Helmann
J.E. HELMANN, LT, USNR

12-16 UNDERWAY AS BEFORE.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

16-18 UNDERWAY AS BEFORE. 1732 C/C 241°, C/S 22 KNOTS. PROCEEDING TO STATION FOR ECM EXERCISE, 7-12-CM.

J.D. Walker
J.D. WALKER, LT, USN

18-20 UNDERWAY AS BEFORE 1900 RETARDED ALL CLOCKS ONE HOUR TO CONFORM WITH -8(CH) TIME ZONE. 1822 PASSED P'ENG-CHIA HSU LIGHT ABEAM TO PORT, DISTANCE 21 MILES.

D.W. Kuypers
D.W. KUYPERS, LT, USNR

EXAMINED

J.T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)

DATE MONDAY 4 NOVEMBER 19 68
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 UNDERWAY AS BEFORE. 2000 c/c TO 214-2123 c/s 20KTS. 2310 c/c 200.
2321 c/c 214.

J. E. Helman
J. E. HELMANN, LT, USN.

EXAMINED:

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9 I DATE TUESDAY 5 NOVEMBER 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO KAOHSIUNG, TAIWAN

POSITION	ZONE	TIME
0800		
L <u>22-38.5 N</u> BY <u>2</u>		
λ <u>120-00.9 E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L _____ BY _____		
λ _____ BY _____		

POSITION	ZONE	TIME
2000		
L <u>22-30.0 N</u> BY <u>2</u>		
λ <u>118-59.0 E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

$\phi\phi$ - $\phi 4$ UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE ENROUTE FROM YOKOSUKA, JAPAN TO KAOHSIUNG, TAIWAN IN COMPANY WITH USS GEORGE K. MACKENZIE (DD 836). MACKENZIE DETACHED WHILE CONDUCTING ECM EXERCISE. BASE COURSE $214^{\circ}T$ SPEED 20 KTS. SOPA AND OTC IS COMDESRON 13 EMBARKED THIS SHIP. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. $\phi 159$ SIGHTED MU-TOU HSUI LIGHTHOUSE BEARING $245^{\circ}T$ RANGE 18.38 MILES. $\phi 215$ $\phi 180^{\circ}T$. $\phi 349$ SIGHTED TUNG-CAI HSUI LIGHTHOUSE BEARING $207.8^{\circ}T$ RANGE 19.8 KTS MILES. $\phi 347$ $\phi 156^{\circ}T$ $\phi 15$ KTS.

D.W. Taylor

D.W. TAYLOR, LTJG, USNR

~~04-08~~ ~~04-08~~ UNDERWAY AS BEFORE. $\phi 485$ MACKENZIE ASSUMED STATION 2 OF FORMATION ECHO AT 1000 YDS. $\phi 605$ $\phi 12$ KTS. $\phi 617$ $\phi 18$ KTS. $\phi 659$ $\phi 246$. $\phi 336$ AT $\phi 730$. $\phi 735$ MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

J. D. Walker

J.D. WALKER LT USN

$\phi 8-12$ UNDERWAY AS BEFORE. $\phi 825$ $\phi 66^{\circ}T$. $\phi 904$ $\phi 156^{\circ}$. $\phi 905$ $\phi 15$ KNOTS. $\phi 930$ $\phi 106^{\circ}$. $\phi 930$ SET SPECIAL SEA AND ANCHOR DETAIL. 0931 COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH THE KAOHSIUNG HARBOR ENTRANCE. 1005 PASSED KAOHSIUNG OUTER BREAKWATER LIGHT ABEAM TO STBD, DISTANCE 300 YDS. 1041 MOORED PORTSIDE TO BIRTH 18, KAOHSIUNG, TAIWAN, WITH STD MOORING LINES DROPPED. SOPA IS COMDESRON 13, EMBARKED WHEN 1100 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1144 USS MACKENZIE (DD-836) MOORED ^{STBD SIDE} ~~PORTSIDE~~ TO OUTBOARD THIS VESSEL. COMMENCED TAKING ON FUEL.

D.W. Kuypers

D.W. KUYPERS, LT, USNR

12-16 MOORED AS BEFORE.

D.W. Taylor

D.W. TAYLOR

16-18 MOORED AS BEFORE. 1658 UNDERWAY FROM BIRTH 18. CAPTAIN CONNING. MANEUVERING AT VARIOUS COURSES AND SPEEDS SPENDING OUT OF KAOHSIUNG HARBOR. 1715 PASSED THROUGH INNER BREAKWATER. 1717 PASSED THROUGH OUTER BREAKWATER. OOD WAS GIVEN THE CONN. 1719 $\phi 270$. SPD 22 KTS. UNDERWAY FOR HONG KONG, B.C.C., IN COMPLIANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. SECURED THE SPECIAL SEA AND MOORING DETAIL SET CONDITION IV WATCH. 1726 $\phi 25$ KTS. 1728 $\phi 265$.

J. D. Walker

J.D. WALKER LT USN

EXAMINED

T. Alexander

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE TUESDAY, 5 NOVEMBER, 19 68
(Day) (Date) (Month)

REMARKS-CONTINUED

18-20 UNDERWAY AS BEFORE. 1823 C/STO 26 KTS 1836 C/CTO 260° 1845 C/CTO 265° 1943 C/CTO 180° 1946 C/CTO 265° 1947 C/STO 25 KTS.

D. W. Taylor
D. W. TAYLOR, LTJG, USNR

20-24 UNDERWAY AS BEFORE. 2011 YS 25 KTS. FORMED COLUMN OPEN ORDER FORMATION WITH THIS SHIP IN STATION ONE AS GUIDE AND MACKENZIE IN STATION TWO 1000 YARDS ASTERN. 2034 YC 280°T. 2052 YC 265°T. 2222 YC 250°T. 2230 YC 265°T.

D. F. Beebe
D. F. BEEBE, LTJG, USN

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8 H DATE WEDNESDAY 6 NOVEMBER 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM KAHSIUNG, TAIWAN TO HONG KONG, B.C.C.

POSITION	ZONE	TIME
0800		
L <u>LEI U MUN PASS</u>	BY <u>3</u>	
λ <u>HONG KONG HARBOR</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE ENROUTE FROM KAHSIUNG, TAIWAN TO HONG KONG, B.C.C. IN COMPANY WITH USS GEORGE K. MACKENZIE (DD-836). ON STATION AS GUIDE IN A COLUMN OPEN ORDER WITH MACKENZIE 1000 YDS ASTERN. BASE CSE 265, SPD 25 KTS. SOPA AND OTC IS COMDESRON 13 IN THIS SHIP. CONDITION OF READINESS FOUR AND MATERIAL CONDITION YOKE SET. SHIP DARKENED EXCEPT FOR NAVIGATION LIGHTS. 0229 C/C 250. 0252 C/C 265.

J. D. Walker
J. D. WALKER LT USN

04-08 UNDERWAY AS BEFORE. 0419 C/C 260. 0433 C/C 265. 0509 C/S 16 KNOTS. 0519 C/C 270. 0601 C/S 20 KNOTS. 0628 C/C 260. 0632 C/C 270. 0648 C/C 265. 0654 C/C 270. 0701 C/C 280. 0703 C/C 270. 0704 C/C 265. 0707 C/C 258. 0708 C/C 265. 0710 C/C 274. MANUEVERING TO AVOID VARIOUS FISHING STEAKS STAKES. 0712 C/S 10 KTS. 0713 C/S 5 KTS. C/C 276. 0713 C/S 10 KTS. 0714 C/S 15 KTS, C/C 279. 0715 C/C 279, C/S 20 KTS. 0716 C/C 275. 0717 C/C 270. 0718 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0725 CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. C/C 291. 0728 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS CONFORMING TO APPROACH TO HONG KONG HARBOR. 0731 PASSED TATHONG POINT LIGHT ABEAM TO STAR, DISTANCE 1800 YDS. 0735 PASSED NGAI YING PAI LIGHT ABEAM TO STAR, DISTANCE 800 YDS. 0755 PASSED SIU CHAU WAN LIGHT ABEAM TO STAR, DISTANCE 800 YDS. ENTERED HONG KONG HARBOR.

D. W. Kuypers
D. W. KUYPERS, LT, USN

08-12 UNDERWAY AS BEFORE. MANUEVERING VARIOUS COURSES AND SPEEDS WHILE APPROACHING MOORING BUOY #A3. 0854 MOORED, WITH 1 STANDARD MOORING CHAIN TO MOORING BUOY #A3 SOUTHERN FAIRWAY HONG KONG HARBOR, B.C.C. WITH 15 FATHOMS OF CHAIN ON DECK. SOPA IS CTF 76 COMPHIBFORSEVENTHFLT EMBARKED USS ELDERADO (AGC 11). CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 0910 SECURED THE SPECIAL SEA AND MOORING DETAIL. 0935 OFFICER OF THE GUARD HONG KONG ARRIVED. 0955 OFFICER OF THE GUARD HONG KONG DEPARTED.

Donald F. Zimmer
DONALD F. ZIMMER ENS USNR.

12-16 MOORED AS BEFORE.

Donald F. Zimmer
DONALD F. ZIMMER ENS USNR.

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)

DATE WEDNESDAY 6 NOVEMBER 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

16-24 MOORED AS BEFORE.

Donald F. Zimmer
DONALD F. ZIMMER ENS USNR.

24-24 MOORED AS BEFORE.

Donald F. Zimmer
DONALD F. ZIMMER ENS USNR.

EXAMINED:

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(4) DATE Thursday 7 Nov 68
(Day) (Date) (Month)
AT/PASSAGE FROM HONG KONG, B.C.C. TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 MOORED TO BUOY A3 IN HONG KONG HARBOR WITH FIFTEEN (15) FATHOMS OF CHAIN ON DECK. MATERIAL CONDITION YOKE AND CONDITION OF READINESS II ARE SET THROUGHOUT THE SHIP. SOPA IS CTF 76 COMPHIBFORSEVENTHFLT EMBARKED USS ELDORADO (AGC-11) SHIPS PRESENT INCLUDE VARIOUS MERCHANT SHIPPING AND VARIOUS UNITS OF THE U.S. SEVENTH FLEET. THE SHIP IS STEAMING 2B BOILER AND 2A & 2B GENERATORS.

Donald F. Zimmer
DONALD F. ZIMMER ENS USNR

Φ4-Φ8 MOORED AS BEFORE.

Donald F. Zimmer
DONALD F. ZIMMER ENS USNR

Φ8-12 MOORED AS BEFORE.

Hayne Ellis LTJG USNR

12-16 MOORED AS BEFORE

Hayne Ellis LTJG USNR

16-20 MOORED AS BEFORE

Hayne Ellis LTJG USNR

20-24 MOORED AS BEFORE

Hayne Ellis LTJG USNR

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE Friday 8 Nov 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM HONG KONG, B.C.C. TO

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED TO BOW A 3 WITH FIFTEEN FATHOMS OF CHAIN IN HONG KONG HARBOR. 2B BOILER AND 2A AND 2B SSTG'S ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS MERCHANT SHIPPING AND VARIOUS UNITS OF THE U.S. SEVENTH FLEET. SOPA IS COMAMPGRU 73 EMBARKED ON THE U.S.S. ELDERADO (AGC-11) COMDESPON 13 IS EMBARKED THIS SHIP.

Henry Ellis LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION: NO ABSENTS.

Henry Ellis LTJG USNR

08-12 MOORED AS BEFORE. 0900 COMDESPON 13 ASSUMES SOPA EMBARKED THIS SHIP. 1010 1B BOILER AND 1A, 1B SHIP'S SERVICE GENERATORS ARE ON THE LINE.

James A. McGrath
JAMES A. McGRATH
ENS. USNR

12-16 MOORED AS BEFORE.

James A. McGrath
JAMES A. McGRATH
ENS USNR

16-20 MOORED AS BEFORE.

James A. McGrath
JAMES A. McGRATH
ENS. USNR.

20-24 MOORED AS BEFORE.

James A. McGrath
JAMES A. McGRATH
ENS. USNR.

EXAMINED

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-29) ZONE DESCRIPTION -8 H DATE SATURDAY, 9 NOVEMBER, 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM HONG KONG, B.C.C. TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 MOORED TO BOUTY A#3 WITH FIFTEEN FATHOMS OF CHAIN IN HONG KONG HARBOR. 16 BOILER AND 14 SHIP'S SERVICE GENERATORS ARE ON THE LINE. SHIP'S PRESENT INCLUDE VARIOUS MERCHANT VESSELS AND VARIOUS UNITS OF THE US SEVENTH FLEET MATERIAL CONDITION YOKO AND CONDITION OF READINESS IV ARE SET. SOPA IS COMDESRON 13 EMBARKED THIS SHIP.

James A. McGrath
JAMES A. McGRATH
ENS. USNR

04-08 MOORED AS BEFORE.

James A. McGrath
JAMES A. McGRATH
ENS. USNR

08-12 MOORED AS BEFORE.

D.F. Beckwith
D.F. BECKWITH, LTJG, USN

12-16 MOORED AS BEFORE.

D.F. Beckwith
D.F. BECKWITH, LTJG, USN

16-20 MOORED AS BEFORE.

D.F. Beckwith
D.F. BECKWITH, LTJG, USN

20-24 MOORED AS BEFORE.

D.F. Beckwith
D.F. BECKWITH, LTJG, USN

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

Lined area for remarks.

EXAMINED:

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDLE (DDG-24) ZONE DESCRIPTION -8 (H) DATE SUNDAY 10 NOVEMBER, 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM HONG KONG, BEC TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED TO BuoY A3 IN HONG KONG HARBOR WITH FIFTEEN (15) FATHOMS OF CHAIN ON DECK. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET. THE SHIP IS STEAMING AUXILIARY WITH 1B BOILER AND 1A AND 1B SHIPS SERVICE GENERATORS ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS MERCHANT SHIPS AND VARIOUS UNITS OF THE U.S. SEVENTH FLEET. SOPA IS COM DESRON 13 EMBARKED THIS VESSEL.

D.F. Berkebile
D.F. BERKEBILE, LTJG, USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION; ABSENTEES: JOHNSON, J.V., FN, 3301508, UA SINCE 2400, 9 NOV 1968 AND LEMLEY, T.M., SFP3, 3705592, UA SINCE 0100, 10 NOV 1968.

D.F. Berkebile
D.F. BERKEBILE, LTJG, USN

08-12 MOORED AS BEFORE.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

12-16 MOORED AS BEFORE

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

16-20 MOORED AS BEFORE.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

20-24 MOORED AS BEFORE

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

EXAMINED

J.T. Alexander
J.T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION C-28H DATE MONDAY, 11 NOV. 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM HONG KONG, BBC To DMZ, SOUTH VIETNAM

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>21-26.7 N</u>	BY <u>2</u>	
λ <u>113-51.2 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED TO BUOY A3 IN HONG KONG HARBOR WITH FIFTEEN FATHOMS OF CHAIN ON DECK. MATERIAL CONDITION YOKE AND CONDITION OF READINESS TO ARE SET. 1A BOILER AND 1A+1B GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS MERCHANT SHIPS AND VARIOUS UNITS OF THE U.S. SEVENTH FLEET. SOPA IS COMDESPRON 13, EMBARKED THIS SHIP.

D. W. Taylor
D. W. TAYLOR, LT.J.G., U.S.N.R.

04-08 MOORED AS BEFORE

D. W. Taylor
D. W. TAYLOR, LT.J.G., U.S.N.R.

08-12 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. NO UNAUTHORIZED ABSENTEES.

Donald F. Zimmer
DONALD F. ZIMMER, ENS., U.S.N.R.

12-16 MOORED AS BEFORE. 1315 SET MATERIAL CONDITION YOKE AND COMMENCED PREPARATION FOR GETTING UNDERWAY. 1330 MUSTERED THE CREW ON STATION. 1358 REPORTED NO ABSENTEES. 1430 CONCLUDED PREPARATIONS FOR GETTING UNDERWAY AND SET THE SPECIAL SEA AND MOORING DETAIL. 1440 SHIFTED THE WATCH FROM THE QUARTERDECK TO THE BRIDGE. 1503 UNDERWAY FROM BUOY A3 IN COMPLIANCE WITH COMSEVENTHFLT EMPLOYMENT SCHEDULE ENROUTE FROM HONG KONG, B.C.C. TO THE SOUTH CHINA SEA. CAPTAIN COMMANDING. STEERING VARIOUS COURSES AND SPEEDS WHILE SAILING OUT OF HONG KONG HARBOR. 1528 DEPARTED THE HARBOR. 9C 130, SPD 15 KTS. 1536 9C 158. OOD WAS GIVEN THE DECK AND CONN. 1540 9C 150. 1543 9C 135. 1547 9C 130. 1548 SECURED THE SPECIAL SEA AND MOORING DETAIL. SET CONDITION II. 1559 9C 224.

J. D. Walker
J. D. WALKER, LT USN

16-18 UNDERWAY AS BEFORE. 1603 9C 120°. 1605 9C 128°. 1626 9C 166°. 1658 9C 224°

J. Helmann
J. HELMANN, LT USN

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT USN U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)

DATE MONDAY, 11 NOVEMBER, 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

18-20 UNDERWAY AS BEFORE

D. W. Taylor
D. W. TAYLOR, LTJG, USNR

20-24 UNDERWAY AS BEFORE. 2044 9s 17 KTS. 2050 9c 220 T.
2115 9s 16.5 KTS.

D. F. Berkebile
D. F. BERKEBILE, LTJG, USN

EXAMINED:

J. T. Alexander
for J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE TUESDAY 12 NOV 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM HONG KONG, B.C.C TO D.M.Z. SOUTH VIETNAM

POSITION	ZONE	TIME
0800		
L <u>18-55.9 N</u>	BY <u>1</u>	
λ <u>111-28.8 E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>18-11.4 N</u>	BY <u>2</u>	
λ <u>110-33.7 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>17-21.4 N</u>	BY <u>1</u>	
λ <u>108-59.5 E</u>	BY <u>1</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY, ENROUTE FROM HONG KONG, B.C.C. TO VICINITY OF D.M.Z., SOUTH VIETNAM, IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. BASE COURSE IS 200°T. BASE SPEED IS 16 KTS. SOPA AND OTC COMDESPON 13 EMBARKED IN THIS SHIP. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. SHIP DARKENED EXCEPT FOR BRIGHT NAVIGATION LIGHTS. 0015 % 220°T

J. D. Walker
J. D. WALKER LT USN

04-08 UNDERWAY AS BEFORE.

D. W. Kuyper
D. W. KUYPER, LT, USNR

08-12 UNDERWAY AS BEFORE. 0800 % 228°T. * 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES, NONE.

J. Helmann
LT USN

12-16 UNDERWAY AS BEFORE. 1329 C/C TO 175° 1354 C/C TO 244° 1528 C/C TO 247°

D. W. Taylor
D. W. TAYLOR, LTJG, USNR

16-18 UNDERWAY AS BEFORE. 1600 COMMENCED TEST FIRING OF BOTH GUN MOUNTS. 1637 % 13 KTS. 1645 COMPLETED TEST FIRING; AMMUNITION EXPENDED: 12 ROUNDS OF 5" / 54 HIGH EXPLOSIVE AND 9 ROUNDS OF 5" / 54 CONTROLLED VARIABLE TIME FUSED PROJECTILES WITH 16 FULL SERVICE POWDER CARTRIDGES.

D. F. Beckwith
D. F. BECKWITH, LTJG, USN

18-20 UNDERWAY AS BEFORE.

J. D. Walker
J. D. WALKER LT USN

20-24 UNDERWAY AS BEFORE.

D. W. Kuyper
D. W. KUYPER, LT, USNR

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8 H DATE WEDNESDAY 13 NOV 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM HONG KONG B.C.C. TO D.M.Z, VIET-NAM

POSITION	ZONE	TIME
0800		
L <u>16-48.6 N</u>	BY <u>2</u>	
λ <u>107-32.7 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-52.3 N</u>	BY <u>2</u>	
λ <u>107-19.3 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-46.8 N</u>	BY <u>2</u>	
λ <u>107-29.8 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Underway in accordance with COMSEVENTHFLT Quarterly Deployment Schedule, steaming independently from Hong Kong, BCC to the DMZ Viet Nam. Course 247°T, speed 13 knots. Material Condition Yoke and Condition of Readiness IV set, ship is darkened except for bright navigational lights. COMDESRON THIRTEEN is embarked. 0138 c/c to 180°T. 0208 c/c to 000°T. 0212 c/s to 10 knots. 0240 c/c to 180°T. 0330 c/c to 000°T.

J. Helmann
LT USN

04-08 UNDERWAY AS BEFORE. 0400 c/c to 180°. 0430 c/c to 000°. 0500 c/c to 180°. 0526 c/c to 210°. 0549 c/c to 310°. c/s to 15 KTS. 0552 c/s to 20 KTS. c/c to 295°. 0605 c/c to 300°. 0614 c/s to 10 KTS. c/c to 310°. 0631 c/c to 190°. 0638 c/c to 285°. c/s to 15 KTS. 0657 c/c to 135°. c/s to 12 KTS. 0702 c/s to 10 KTS.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

08-12 UNDERWAY AS BEFORE. 0744 c/c 134°T. MUSTERED THE CREW ON STATION; NO ABSENTEES. 0754 c/c 205°T. 0756 SET THE SPECIAL SEA AND REFUELING DETAIL. 0759 MANEUVERING TO TAKE STATION ASTERN OF USS PLATTE (AO-24). COURSE 130°T, SPEED 10 KTS. 0811 COMMENCED APPROACH TO STARBOARD SIDE OF PLATTE. 0826 FIRST LINE OVER. 0831 COMMENCED RECEIVING FUEL. 0858 FUELING COMPLETED. 0910 ALL LINES CLEAR. 0912 SECURED THE SPECIAL SEA AND REFUELING DETAIL, SET THE LIFE GUARD DETAIL. MANEUVERING TO TAKE LIFE GUARD STATION 1000 YARDS ASTERN OF PLATTE. 1017 c/c 280°T, c/s 20 KTS, SECURED THE LIFE GUARD DETAIL. 1022 c/c 295°T. 1023 c/s 22 KTS, SET CONDITION OF READINESS II AND MATERIAL CONDITION MODIFIED ZEBRA. 1050 c/c 270°T. 1109 c/c 278°T. 1145 c/s 15 KTS. 1150 c/s 10 KTS. 1155 c/c 000°T.

DF. BERTHELE, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1230 c/c 270°T. 1301 c/c 090°T. 1305 SET SPECIAL SEA AND HIGHLINE DETAIL. 1310 c/s 5 KTS. 1327 c/s 12 KTS. 1330 USS DAVIS (DD 937) COMMENCED HER APPROACH, BASE COURSE 090°T BASE SPEED. 12 KTS. 1409 SECURED SPECIAL SEA & HIGHLINE DETAIL. SET SPECIAL SEA & LIGHTLINE DETAIL. 1413 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO COME ALONGSIDE USS ANDERSON (DD 786) BASE COURSE 100°T BASE SPEED. 12 KTS. 1440 COMMENCED BREAKAWAY. 1514 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEED TO RENDEZVOUS WITH USS DAVIS DD (937).

Hopkins LTJG USNR

EXAMINED

J. T. ALEXANDER, LT, USNR U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE MONDAY, 13 NOVEMBER 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 1601 SET SPECIAL SEA AND HIGHLINE DETAIL. 1629 ALONGSIDE USS DAVIS (DD 937).
 BASE COURSE 100°, BASE SPEED 12 KNOTS. 1635 COMMENCED HIGHLINE TRANSFER.
 1640 CONCLUDED HIGHLINE TRANSFER. 1652 COMMENCED BREAKAWAY ON COURSE 105°
 SPEED 20 KNOTS. 1652 SECURED FROM SPECIAL SEA AND HIGHLINE DETAIL. 1653 $\frac{1}{2}$ 15 KNOTS.
 1700 $\frac{1}{2}$ 220°. 1708 $\frac{1}{2}$ 270° AND $\frac{1}{2}$ 8 KNOTS. 1740 $\frac{1}{2}$ 090°.

D. W. Taylor
 D. W. TAYLOR, ATTC, USNR

18-21 UNDERWAY AS BEFORE. 1814 $\frac{1}{2}$ 270° 1854 $\frac{1}{2}$ 090° 1921 $\frac{1}{2}$ 270°
 1942 $\frac{1}{2}$ 090° 2015 $\frac{1}{2}$ 270° 2038 $\frac{1}{2}$ 090° 2100 $\frac{1}{2}$ 265°

P. R. O'Harrow
 P. R. O'HARROW LT USN

21-24 UNDERWAY AS BEFORE. 2135 $\frac{1}{2}$ 0950T. 2210 $\frac{1}{2}$ 2650T. 2237 $\frac{1}{2}$ 0850T.
 2255 $\frac{1}{2}$ 0700T. 2313 $\frac{1}{2}$ 2600T. 2328 $\frac{1}{2}$ 2900T. 2332 $\frac{1}{2}$ 0600T.
 2347 $\frac{1}{2}$ 2600T. 2352 $\frac{1}{2}$ 2650T.

D. F. Beckwith
 D. F. BECKWITH, LTJG, USN

EXAMINED:

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS NADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE THURSDAY 14 Nov. 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM D.M.Z. REPUBLIC OF SOUTH TO VIETNAM.

POSITION	ZONE	TIME
0800		
L <u>16-52.9 N</u>	BY <u>2</u>	
λ <u>107-20.2 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-47.6 N</u>	BY <u>2</u>	
λ <u>107-29.2 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-46.6 N</u>	BY <u>2</u>	
λ <u>107-26.4 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0800-~~0830~~ UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE D.M.Z. REPUBLIC OF SOUTH VIETNAM. SOPA IS CTG 70.8 EMBARKED USS CANBERRA (CA 70) CTC IS CTU 70.8.9 EMBARKED USS DAUG (DD 937). YOKE IS SET THROUGHOUT THE SHIP. CONDITION OF READINESS II (MODIFIED) IS SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. THE SHIP IS STEAMING ON VARIOUS COURSES AT 8 KTS. WHILE REMAINING SOUTH OF UTM GRID CO-ORDINATE 60 AND NORTH OF UTM GRID CO-ORDINATE 54.

Hope Ellis
LTJG USNR

0830-0900 UNDERWAY AS BEFORE. STEERED VARIOUS COURSES AT 8 KNOTS TO REMAIN SOUTH OF UTM GRID CO-ORDINATE 60 AND NORTH OF UTM GRID CO-ORDINATE 54.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

0900-0930 UNDERWAY AS BEFORE 0930 % 315° 0952 % 310° 0955 % 10 KTS 0957 % 20 KTS 0958 % 290° 0700 MUSTERED THE CREW ON STATION - NO ABSENTEES. 0708 % 300° 0710 % 090° 0726 % 270° 0732 SET SPECIAL SEA AND HIGHLINE DETAIL 0734 % 18 KTS % 250° 0740 % 20 KTS 0742 230° 0744 % 240° 0745 % 250° 0749 APPROACHING USS CANBERRA (CA-70) FOR HIGH-LINE TRANSFER OF PERSONNEL. 0750 % 18 KTS 0752 % 095° 0753 % 140° 0756 HIGHLINE TRANSFER CANCELLED, SECURED SPECIAL SEA AND HIGHLINE DETAIL 0800 % 112° 0803 % 15 KTS 0843 % 8 KTS % 260° 0854 % 230°

P.R. O'Harrow
P.R. OHARROW LT USN

0912 UNDERWAY AS BEFORE. 0927 % 090° T. 1015 % 270° T. 1057 % 085° T. 1138 % 265° T.

D.F. Berkebile
D.F. BERKEBILE, LTJG, USN

11-15 UNDERWAY AS BEFORE. STEAMING ON VARIOUS COURSES AT 8 KTS. TO REMAIN SOUTH OF UTM GRID CO-ORDINATE 60 AND NORTH OF UTM GRID CO-ORDINATE 54.

Hope Ellis
H. ELLIS III
LTJG USNR

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE THURSDAY 14 NOVEMBER 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. STEAMING VARIOUS COURSES AT 8 KTS. TO REMAIN SOUTH OF UTM GRID LINE 60 AND NORTH OF UTM GRID LINE 54. 1530 COMMENCED STEAMING VARIOUS COURSES AND SPEEDS TO APPROACH USS DAVIS (DD 937) FOR LIGHT LINE AND HELO TRANSFER. 1554 SET THE HELO DETAIL. 1559 SET THE SPECIAL SEA AND LIGHT LINE DETAIL. 1604 HELO DELIVERED LCDR. ADAMS ON THE FANTAIL. 1609 SECURED HELO DETAIL. 1624 ALONGSIDE USS DAVIS BASE COURSE 090° BASE SPEED 12 KTS. 1640 SECURED SPECIAL SEA AND LIGHT LINE DETAIL. 1644 % 270° 1646 % 8 KTS. 1731 % 095°

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

18-21 UNDERWAY AS BEFORE 1805 % TO 275° 1813 % TO 270° 1815 SET DARKEN SHIP 1836 % TO 095° 1912 % TO 270° 1956 % TO 090° 2002 % TO 270° 070° 2042 % TO 240°

P.R. O'Harrow
P.R. O'HARROW LT USN

RO

21-24 UNDERWAY AS BEFORE. 2108 % 070°T. 2131 % 060°T. 2201 % 230°T. 2209 % 220°T. 2213 % 240°T. 2231 % 070°T. 2316 % 240°T. 2356 % 070°T.

D.F. Berchile
D.F. BERCHILE, LTJG, USN

EXAMINED:

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADGELL (DDG-24) ZONE DESCRIPTION -8(H) DATE FRIDAY 15 NOVEMBER 1968
(Day) (Date) (Month)
AT/PASSAGE FROM D.M.Z. REPUBLIC OF SOUTH VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16-54.4 N</u>	BY <u>2</u>	
λ <u>107-30.5 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-51.8 N</u>	BY <u>2</u>	
λ <u>107-26.6 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-51.3 N</u>	BY <u>2</u>	
λ <u>107-31.7 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00~~-03 STEAMING INDEPENDENTLY OFF THE D.M.Z., REPUBLIC OF SOUTH VIETNAM, IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE SOPA IS COMCRUDESPAC IN USS CANBERRA (CA-70) OTC IS CTU 70.8.9 IN USS DAVIS (DD-937) CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION XORE ARE SET. SHIP DARKENED. 0004 % 050° 0006 % 040° 0050 % 240° 0124 % 075° 0158 % 235° 0229 % 090° COMDESRON THIRTEEN IS EMBARKED THIS SHIP.

Hayne Ellis LTJG USNR

03-06 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN SOUTH OF UTM GRID LINE 60 AND NORTH OF UTM GRID LINE 54.

D.W. Taylor

D.W. TAYLOR, LTJG, USNR

06-12 UNDERWAY AS BEFORE. 0618 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO COME ALONGSIDE USS CANBERRA (CA-70). 0650 MUSTERED THE CREW ON STATION. 0659 SET SPECIAL SEA AND HIGHLINE DETAIL. 0727 ALONGSIDE USS CANBERRA. 0751 RADM. Mason FREEMAN, USN, COMCRUDESPAC, ACCOMPANIED BY MEMBERS OF HIS STAFF, ARRIVED FROM USS CANBERRA TO COMMENCE VISIT WITH COMDESRON 13 AND THE COMMANDING OFFICER. 0755 SECURED SPECIAL SEA AND HIGHLINE DETAIL. 0756 SET SPECIAL SEA AND LIGHT LINE DETAIL. 0802 BASE COURSE 260 SPEED 12 KTS. 0814 USS FECHTELER (DD 870) ALONGSIDE ON BASE COURSE 260 SPEED 12 KTS. 0823 SECURED SPECIAL SEA AND LIGHTLINE DETAIL. % 110 % 16 KTS AT 0825. 0828 % 100. 0840 % 8 KTS AND % 090. 0843 % 085. 0845 SET SPECIAL SEA AND HIGHLINE DETAIL. 0845 MANEUVERING VARIOUS COURSES AND SPEEDS TO COME ALONGSIDE USS ENGLAND (DLG-22). 0903 ALONGSIDE USS ENGLAND BASE COURSE 090 SPEED 12 KTS. 0912 RADM FREEMAN, ACCOMPANIED BY MEMBERS OF HIS STAFF, WAS TRANSFERRED TO USS ENGLAND. 0928 SECURED THE SPECIAL SEA AND HIGHLINE DETAIL. 0828 % 085 AT 18 KTS. 0930 % 238. 0931 % 240. 0932 % 10 KTS. 1002 % 8 KTS. 1023 % 250. 1040 % 070 AND % 15 KTS. 1041 % 8 KTS. 1050 % 090. 1108 % 060. 1125 C/L TO 270°

P.R. O'Harrow

P.R. O'HARROW LT USN

12-16 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO REMAIN ON STATION SOUTH OF UTM GRID 60 AND NORTH OF UTM GRID 54.

Hayne Ellis LTJG USNR

EXAMINED

JV T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE FRIDAY 15 NOVEMBER 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE. 1617 $\frac{1}{2}$ 15 KTS, $\frac{1}{2}$ 265°T. 1621 $\frac{1}{2}$ 8 KTS.
 1657 $\frac{1}{2}$ 15 KTS. 1658 $\frac{1}{2}$ 085°T. 1700 $\frac{1}{2}$ 8 KTS, $\frac{1}{2}$ 080°T. 1749 $\frac{1}{2}$ 15 $\frac{1}{2}$ 260°T.
 1754 $\frac{1}{2}$ 8 KTS.

D.F. Berkobine
 D.F. BERKOBINE, LTJG, USN

18-20 UNDERWAY AS BEFORE, 1835 $\frac{1}{2}$ 15 KTS, $\frac{1}{2}$ 080°T. 1840 $\frac{1}{2}$ 8 KTS.
 1914 $\frac{1}{2}$ 15 KTS, $\frac{1}{2}$ 260°T. 1916 $\frac{1}{2}$ 8 KTS. 1937 $\frac{1}{2}$ 15 KTS, $\frac{1}{2}$ 080°T.
 1940 $\frac{1}{2}$ 8 KTS. 1959 $\frac{1}{2}$ 15 KTS, $\frac{1}{2}$ 260°T.

H.M. Flick, Jr.
 H.M. FLICK, JR., ENS, USN

20-24 UNDERWAY AS BEFORE 2002 $\frac{1}{2}$ 8 KTS. 2020 $\frac{1}{2}$ 340° 2024 $\frac{1}{2}$ 000°
 2025 $\frac{1}{2}$ 15 KTS 2029 $\frac{1}{2}$ 270° 2037 $\frac{1}{2}$ 280° 2041 RECEIVED CALL FOR
 FIRE MISSION, SET CONDITION OF READINESS II AND MATERIAL CONDITION
 ZEBRA (MODIFIED) 2050 $\frac{1}{2}$ 18 KTS. 2108 $\frac{1}{2}$ 10 KTS $\frac{1}{2}$ 270° 2117 CAL
 FOR FIRE MISSION CANCELLED, SET CONDITION OF READINESS IV AND
 MATERIAL CONDITION XORE. 2123 $\frac{1}{2}$ 8 KTS 2125 $\frac{1}{2}$ 15 KTS. $\frac{1}{2}$ 090°
 2127 $\frac{1}{2}$ 8 KTS 2135 RECEIVED HARASSMENT AND INTERDICTION TARGETS,
 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED)
 2153 $\frac{1}{2}$ 260° 2218 COMMENCED FIRING HARASSMENT AND INTERDICTION
 2229 $\frac{1}{2}$ 080° 2258 $\frac{1}{2}$ 260° 2321 CEASED FIRE $\frac{1}{2}$ 090° TOTAL
 ROUNDS EXPENDED: 36 5"54 CALIBER HIGH EXPLOSIVE PROJECTILES.
 2356 $\frac{1}{2}$ 270° $\frac{1}{2}$ 15 KTS 2358 $\frac{1}{2}$ 8 KTS

P.R. O'Harrow
 P.R. O'HARROW LT USN

EXAMINED

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION - 8(H) DATE SATURDAY 16 NOVEMBER 68
(Day) (Date) (Month)
AT/PASSAGE FROM D.M.Z. REPUBLIC OF SOUTH VIETNAM.

POSITION	ZONE	TIME
0800		
L <u>16-53.9 N</u>	BY <u>2</u>	
λ <u>107-22.5 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-54.2 N</u>	BY <u>2</u>	
λ <u>107-17.2 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-54.2 N</u>	BY <u>2</u>	
λ <u>107-22.8 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ3 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE D.M.Z. REPUBLIC OF SOUTH VIETNAM. SOPA AND OTC IS CTU 7Φ.8.9 AND IS COMDESRON 13 EMBARKED THIS SHIP. MATERIAL CONDITION ZEBRA (MODIFIED) AND CONDITION II IS SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED AND STEAMING ON VARIOUS COURSES AT VARIOUS SPEEDS ABOUT UTM GRID CO-ORDINATE AU 457Φ. Φ125 COMMENCED FIRING. Φ3Φ4 CEASED FIRE. TOTAL ROUNDS EXPENDED: 37-5" 54 CALIBER HIGH EXPLOSIVE. Φ31Φ SET CONDITION II (MODIFIED). Φ315 SET MATERIAL CONDITION YOKE THROUGHOUT THE SHIP.

H. Ellis III
LTJG USNR

Φ3-Φ6 UNDERWAY AS BEFORE. Φ3Φ4 % Φ9Φ AND % 15 KTS. Φ3Φ6 % 8 KTS. Φ31Φ % 1ΦΦ. Φ314 % Φ9Φ. Φ324 % 1ΦΦ. Φ348 % Φ9Φ. Φ434 % 27Φ. Φ42Φ % Φ9Φ AND % 15 KTS. Φ424 % 8 KTS. Φ6Φ6 % Φ95. Φ615 % 1ΦΦ.

D. V. Taylor
D. V. TAYLOR, LTJG, USNR

Φ6-Φ9 UNDERWAY AS BEFORE. ~~Φ6Φ6~~ Φ625 % TO 265° Φ722 % TO Φ95° PRO Φ745 MUSTERED THE CREW ON STATIONS Φ832 % TO 265°

P. R. O'Harrow
P. R. O'HARROW LT USN

Φ9-12 UNDERWAY AS BEFORE Φ9Φ9 % 27Φ° Φ91Φ % 15 KTS Φ91Φ SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) RECEIVED CALL FOR FIRE MISSION. Φ923 % 8 KTS Φ94Φ % 095° Φ943 % 15 KTS Φ944 % 8 KTS 1Φ17 % 15 KTS 275° 1Φ19 % 10 KTS 1Φ3Φ COMMENCED FIRING AT SELECTED TARGET UNDER CONTROL OF SPOTTER 1Φ35 CEASED FIRE ROUNDS EXPENDED: 3 5" 54 CAL HIGH EXPLOSIVE PROJECTILES 1Φ41 % 33Φ° 1Φ45 Φ4Φ° 1Φ52 % 11Φ° 113Φ % TO 27Φ°

P. R. O'Harrow
P. R. O'HARROW LT USN

12-15 UNDERWAY AS BEFORE. 13Φ1 COMMENCE FIRE. 1312 CEASED FIRE. TOTAL ROUNDS EXPENDED: 6, 5" 54 CALIBER HIGH EXPLOSIVE. 1435 SET CONDITION II (MODIFIED) AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP.

H. Ellis III
H. ELLIS III
LTJG USNR.

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE SATURDAY
16 NOVEMBER, 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1441 STEERING VARIOUS COURSES AND SPEEDS TO COME ALONGSIDE USS GRAFFIAS (AF-29). 1523 SET SPECIAL SEA AND REPLENISHMENT DETAIL. 1610 ALONGSIDE USS GRAFFIAS ON BASE COURSE 250 BASE SPEED 13 KNOTS. 1632 SECURED FROM SPECIAL SEA AND REPLENISHMENT DETAIL. 1635 $\frac{1}{2}$ 305 $\frac{1}{2}$ 15 KNOTS. 1647 $\frac{1}{2}$ 000. 1658 $\frac{1}{2}$ 270. 1659 $\frac{1}{2}$ 8 KNOTS. 1726 $\frac{1}{2}$ 090. 1757 $\frac{1}{2}$ 15 KTS $\frac{1}{2}$ 270. 1759 $\frac{1}{2}$ 8 KTS.

D. W. Taylor

D. W. TAYLOR, LTJG, USNR

18-21 UNDERWAY AS BEFORE 1818 $\frac{1}{2}$ 15 KTS $\frac{1}{2}$ 090. 1820 $\frac{1}{2}$ 8 KTS 1930 $\frac{1}{2}$ 15 KTS $\frac{1}{2}$ 270. 1932 8 KTS 2014 $\frac{1}{2}$ 15 KTS $\frac{1}{2}$ 090. 2016 $\frac{1}{2}$ 8 KTS. 2058 $\frac{1}{2}$ 15 KTS $\frac{1}{2}$ 270.

P. O'Harrow

P. O'HARROW - LT USN

21-24 UNDERWAY AS BEFORE. 2100 $\frac{1}{2}$ 8 KTS. 2136 $\frac{1}{2}$ 15 KTS, $\frac{1}{2}$ 110. 2148 $\frac{1}{2}$ 18 KTS. 2152 TURNED ON BRIGHT NAVIGATION LIGHTS. 2155 $\frac{1}{2}$ 20 KTS. 2237 SET THE SPECIAL SEA AND REFUELING DETAIL. 2243 $\frac{1}{2}$ 115. 2245 CAPTAIN ASSUMED THE DECK AND THE CONN. 2252 $\frac{1}{2}$ 18 KTS. MANEUVERING TO TAKE STATION ASTERN USS NECHES (AO-47). 2308 DIMMED ALL NAVIGATION LIGHTS. COMMENCED APPROACH TO STARBOARD SIDE NECHES. REPLENISHMENT COURSE 080, SPEED 12 KTS. 2315 ON STATION, FIRST LINE OVER. 2333 COMMENCED RECEIVING FUEL. 0001 COMBAT COMPLETED AS RECEIVING FUEL.

D. F. Berke

D. F. BERKE, LTJG, USN

EXAMINED:

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE SUNDAY 17 NOVEMBER, 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM DMZ, REPUBLIC OF SOUTH VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16-54.6 N</u>	BY <u>2</u>	
λ <u>107-20.8 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-54.1 N</u>	BY <u>2</u>	
λ <u>107-20.8 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-53.8 N</u>	BY <u>2</u>	
λ <u>107-19.8 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ3 UNDERWAY ^{IN} ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE STEAMING INDEPENDENTLY AS A UNIT OF CTU 7Φ.89. SOPA AND OTC ARE-15 CTU 7Φ.89 AND IS COMDESRON 13 EMBARKED THIS SHIP. MATERIAL CONDITION YORE AND CONDITION II (MODIFIED) ARE SET THROUGHOUT THE SHIP. CONDUCTING UNDERWAY REPLENISHMENT WITH USS NECHES (AO-47) BASE COURSE 18ΦΦ SPEED 12 KTS. SHIP IS COMPLETELY DARKENED WITH THE EXCEPTION OF NAVIGATIONAL LIGHTS. ΦΦ11 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO RETURN TO STATION. Φ122 TURNED OFF ALL NAVIGATIONAL LIGHTS. SET CONDITION II AND ZEBRA THROUGHOUT THE SHIP. Φ254 COMMENCED FIRING. ~~Φ414 CEASED FIRE-TOTAL ROUNDS EXPENDED:~~

[Signature] LTJG USNR

Φ3-Φ6 UNDERWAY AS BEFORE. Φ416 % Φ8Φ AND % 15 KTS. Φ417 % 8 KTS. Φ5Φ7 % Φ95. Φ525 % 26Φ. 0625 C/C TO 090

[Signature]
D. W. TAYLOR, LTJG, USNR

06-12 UNDERWAY AS BEFORE. Φ6Φ9 % 275° Φ626 % Φ9Φ°
Φ642 % Φ95° Φ726 % 26Φ° Φ8Φ1 SET CONDITION OF READINESS II
AND MATERIAL CONDITION ZEBRA (MODIFIED) Φ811 % Φ95° Φ828 % 265°
Φ831 % 8 KTS Φ84Φ % 1ΦΦ° Φ842 % 8 KTS Φ854 % 27Φ° % 12 KTS
Φ857 % 8 KTS Φ9ΦΦ % 15 KTS Φ9Φ5 % 20 KTS % 28Φ° Φ91Φ % 1Φ KTS
Φ912 % 5 KTS Φ917 % 22Φ° Φ918 Φ93Φ COMMENCED FIRING ON TARGET ^{RND}
UNDER CONTROL OF SPOTTER Φ937 % Φ4Φ° Φ938 % 10 KTS Φ94Φ % 5 KTS
Φ959 % 22Φ° % 1Φ KTS 1ΦΦΦ % 5 KTS 1ΦΦ3 % 18Φ° 1ΦΦ5 ALL STOP
1ΦΦ8 PORT ENGINE AHEAD 1/2 1ΦΦ9 ALL STOP 1Φ1Φ % 2 KTS 1Φ15 % 235°
1Φ38 % 1Φ KTS 1Φ42 % 5 KTS % Φ6Φ° 1112 % 10 KTS CEASED FIRE
ROUNDS EXPENDED: 35 5"/54 CAL HIGH EXPLOSIVE PROJECTILES 1114 % 095°
% 2Φ KTS 1116 % 8 KTS 1122 % 1ΦΦ°

[Signature]
P. R. O'HARROW LT USN

12-15 UNDERWAY AS BEFORE. STEAMING ON VARIOUS COURSES AND SPEEDS IN THE VICINITY OF UTM GRID CO-ORDINATE AU 457Φ. 144Φ SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YORE THROUGHOUT THE SHIP.

[Signature]
H. ELLIST III
LTJG. USNR.

15-18 UNDERWAY AS BEFORE. ~~1222 % 27Φ. 1448 % Φ9Φ. 152Φ % 135 % 2Φ KTS.~~
1522 % 25 KTS. % 151. 1539 % 15 KTS % 33Φ. 14Φ6 % 27Φ. 14Φ7 % 8 KTS. 1433 % ΦΦΦ.
17ΦΦ % 27Φ. 1744 % Φ9Φ.

[Signature]
D. W. TAYLOR, LTJG, USNR

EXAMINED

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDILL DDG-24DATE SUNDAY 17 NOVEMBER 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

18-21 UNDERWAY AS BEFORE 1815 SET PARKER SHIP 1906 C/C TO 270°
2004 C/C TO 090° 2047 C/C TO 270° 2100 C/C TO 260°

P.R. O'HARROW

P.R. O'HARROW LT USN

21-24 UNDERWAY AS BEFORE 2120 C/C 270° 2122 C/C 085°
2123 C/C 12 KTS 2126 C/C 095° 2205 C/C 270° 2231 C/C 265°

2234 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA
(MODIFIED) 2250 C/C 270° 2254 C/C 15 KTS 2304 C/C 2 KTS 2301 C/C 220°

2314 COMMENCED FIRE HARASSMENT AND INTERDICTION 2340 C/C 10 KTS C/C 040°
2343 C/C 2 KTS

P.R. O'HARROW

P.R. O'HARROW LT USN

EXAMINED:

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 24) ZONE DESCRIPTION -8(H) DATE MONDAY 18 NOVEMBER 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM DMZ, REPUBLIC OF SOUTH VIETNAM TO _____

POSITION	ZONE	TIME
0800		
L <u>16-53.7 N</u>	BY <u>2</u>	
λ <u>107-18.8 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-54.5 N</u>	BY <u>2</u>	
λ <u>107-15.9 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-54.4 N</u>	BY <u>2</u>	
λ <u>107-24.1 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

$\phi\phi$ - $\phi 3$ UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE STEAMING INDEPENDENTLY AS A UNIT OF CTU 7 ϕ .8.9. SOPA AND OTC IS CTU 7 ϕ .8.9 AND IS COMDESRON 13 EMBARKED THIS SHIP. MATERIAL CONDITION ZEBRA AND CONDITION OF READINESS II ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. MANUEVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING NIGHTTIME "H" AND "I" MISSIONS. $\phi 211$ COMMENCED FIRING. $\phi 239$ CEASED FIRE. TOTAL ROUNDS EXPENDED: 28 5" 54-CALIBER HIGH EXPLOSIVE.

Hayes Ellis
H. ELLIS III
LTJG USNR.

$\phi 3$ - $\phi 6$ UNDERWAY AS BEFORE. $\phi 353$ % 27 ϕ . $\phi 456$ % 22 ϕ .
 $\phi 457$ % 2 KTS. $\phi 524$ % 10 KTS AND % $\phi 4\phi$. $\phi 524$ % 15 KTS. $\phi 526$ % 8 KTS.
 $\phi 531$ COMPLETED FIRING "H" AND "I" TARGETS 40 ROUNDS EXPENDED. $\phi 534$ % $\phi 9\phi$.
 $\phi 556$ % 27 ϕ .

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

$\phi 6$ - $\phi 9$ UNDERWAY AS BEFORE. $\phi 640$ % $\phi 90^\circ$ $\phi 700$ MUSTERED THE CREW ON STATION - NO ABSENTEES. $\phi 727$ % 27 ϕ $\phi 755$ % $\phi 90^\circ$ $\phi 800$ SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) $\phi 813$ % $\phi 85^\circ$ $\phi 826$ % 128 ϕ SET HELD DETAIL $\phi 842$ HELD OVER FANTAIL FOR TRANSFER OF MAIL $\phi 846$ SECURED HELD DETAIL % 285 ϕ $\phi 849$ SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE

P.R. O'Harrow
P.R. O'HARROW LT USN

$\phi 9$ -12 UNDERWAY AS BEFORE. $\phi 939$ % 27 ϕ $\phi 950$ % 12 KTS, % $\phi 90^\circ$ $\phi 953$ % 8 KTS. 1020 % $\phi 95^\circ$ 1048 % 27 ϕ 1127 % $\phi 90^\circ$ 1135 % 27 ϕ .
1138 A/E STOP. USCG Point Welcome alongside to starboard. Received (3) THREE passengers. 1140 % 28 ϕ 1149 % 5 KTS. 1150 % $\phi 90^\circ$.

DeBerkine
DEBERKINE, LTJG USN

12-15 UNDERWAY AS BEFORE. 1335 COMMENCED MANUEVERING TO PICK-UP PASSENGERS FROM Point Welcome (682329). Received 8 passengers. 1434 SHIFTED THE ELECTRICAL LOAD TO 2A, 2B, AND 1A GENERATORS PARALLELED.

Hayes Ellis
HAYES ELLIS III LTJG USNR

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE Monday, 18 November 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1442 $\% 27\phi$. 1523 $\% 09\phi$. 1551 $\% 27\phi$. 1628 $\% 09\phi$.
1641 $\% 1\phi$. 1645 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO TAKE AN LCU
ALONGSIDE. 1714 RECEIVED WOUNDED MAN FROM LCU. PATIENT IDENTIFIED AS CHUNNINGHAM,
P.R., 12901365, SGT, U.S. ARMY. 1717 MANEUVERING VARIOUS COURSES AND SPEEDS TO
GO ALONGSIDE SANCTUARY (AH-17). 1745 SET SPECIAL SEA AND HIGHLINE DETAIL.

D.W. Taylor
D.W. TAYLOR, LTJG, USN

18-21 UNDERWAY AS BEFORE 1800 $\% 071^\circ$ 1801 COMMENCED APPROACH ON
HOSPITAL SHIP SANCTUARY MANEUVERING AT VARIOUS COURSES AND SPEEDS.
1813 ALONG SIDE SANCTUARY (AH-17) WADDELL STARBOARD SIDE TO,
ON BASE COURSE 070° , SPEED 10 KTS. 1815 TRANSFERRED ~~CUT~~ CHUNNINGHAM, ^{RNH}
P.R., 12901365, SGT, U.S. ARMY TO SANCTUARY VIA HIGHLINE 1825 ALL
LINES CLEAR, $\% 20$ KTS $\% 28\phi$ 1827 SECURED SPECIAL SEA AND
HIGHLINE DETAIL 1828 $\% 15$ KTS 1900 $\% 8$ KTS 1907 $\% 09\phi$
1908 $\% 12$ KTS 1910 $\% 8$ KTS 1950 $\% 095^\circ$ 2017 $\% 27\phi$ $\% 12$ KTS
2020 $\% 8$ KTS 2035 $\% 265^\circ$ 2038 $\% 27\phi$ 2051 $\% 12$ KTS $\% 09\phi$ ^{RNH}
2052 $\% 8$ KTS

P.R. O'Harrow
P.R. O'HARROW LT USN

21-24 UNDERWAY AS BEFORE 2132 $\% 10$ KTS 2133 $\% 265^\circ$
2135 $\% 8$ KTS 2208 $\% 10$ KTS $\% 095^\circ$ 2212 $\% 8$ KTS 2222 SET CONDITION
OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) 2223 $\% 10$ KTS
 $\% 265^\circ$ 2225 $\% 12$ KTS 2232 $\% 15$ KTS $\% 275^\circ$ 2237 $\% 285^\circ$ 2249 $\% 2$ KTS.
2251 $\% 220^\circ$ 2303 COMMENCED FIRING HARASSMENT AND INTERDICTION 2309 $\% 3$
KTS. 2319 $\% 10$ KTS $\% 040^\circ$ 2322 $\% 3$ KTS 2334 CEASED FIRE ROUNDS
EXPENDED: 22 $\frac{5}{64}$ CAL. HIGH EXPLOSIVE PROJECTILES. 2335 $\% 8$ KTS $\% 100^\circ$
2354 $\% 09\phi$

P.R. O'Harrow
P.R. O'HARROW LT USN

EXAMINED:

J.T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DCG-24 ZONE DESCRIPTION -8 (H) DATE TUESDAY, 19 Nov. 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM DMZ, REPUBLIC OF S. VIETNAM TO _____

POSITION	ZONE	TIME
0800		
L <u>16-36.6 N</u>	BY <u>2</u>	
λ <u>107-57.1 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-54.6 N</u>	BY <u>2</u>	
λ <u>107-57.3 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-53.8 N</u>	BY <u>2</u>	
λ <u>107-25.8 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE STEAMING INDEPENDENTLY AS A UNIT OF CTU 70.8.9 SOPA AND OTC ARE CTU 70.8.9 AND IS COMDESRON 13 EMBARKED THIS SHIP. MATERIAL CONDITION ZEBRA (MODIFIED) AND CONDITION OF READINESS II ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED AND MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING NIGHTTIME "H" AND "I" MISSIONS IN SUPPORT OF 3RD MARINE FORCES ASHORE. 0106 COMMENCED FIRING. 0121 CEASED FIRE. TOTAL ROUNDS EXPENDED: 21 5" 54 CALIBER HIGH EXPLOSIVE.

Hayne Ellis III
H. ELLIS III LTJG USNR

03-06 UNDERWAY AS BEFORE. 0310 COMMENCED FIRING. 0329 CEASED FIRING: 21 ROUNDS EXPENDED. 0330 SET CONDITION OF READINESS II (MODIFIED).

0330 % 085 AND % 8 KTS. COMMENCED STEAMING VARIOUS COURSES AT 8 KTS. TO REMAIN ON EAST-WEST UTM GRID LINE 70 BETWEEN NORTH-SOUTH UTM GRID LINES 40 AND 60. 0330 MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP. 0451 % 100 AND COMMENCE STEAMING VARIOUS COURSES AND SPEEDS TO GO ALONGSIDE USS MT. KATMAI (AE-16). 0531 SET THE SPECIAL SEA AND RE-ARMING DETAIL. 0552 COMMENCED OUR APPROACH ON MT. KATMAI

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

06-09 UNDERWAY AS BEFORE. 0601 ALONGSIDE USS MT. KATMAI (AE-16) WADDELL PORT SIDE TO, FOR REARMING. BASE COURSE 125° SPEED 12 KTS. 0701 ALL LINES CLEAR. % 20 KTS FOR BREAKAWAY. 0702 SECURED SPECIAL SEA AND REARMING DETAIL. 0706 % 130° 0707 % 135° 0708 % 130° 0714 % 110° 0720 % 105° 0821 % 18 KTS ENROUTE TO RENDEZVOUS WITH USS MANATEE (AO-58) FOR REFUELING. 0832 SET SPECIAL SEA AND REFUELING DETAIL. 0852 % 020° MANEUVERING AT VARIOUS COURSES AND SPEEDS TO COME ALONGSIDE USS MANATEE.

P.R. O'Harrow
P.R. O'HARROW LT USN

09-12 UNDERWAY AS BEFORE. 0902 COMMENCED APPROACH, ENS. HOWELL AT THE CONN. 0907 ON STATION ALONGSIDE STARBOARD SIDE OF MANATEE. FIRST LINE OVER. 0916 COMMENCED RECEIVING FEUL. 0938 FEULING COMPLETED. 0943 ALL LINES AND HOSES CLEAR. MANEUVERING TO CLEAR STARBOARD SIDE OF MANATEE. 0950 CLEAR OF MANATEE. 0953 SECURED THE SPECIAL SEA AND REFUELING DETAIL.

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE TUESDAY 19 NOVEMBER 68
(Day) (Date) (Month)

REMARKS—CONTINUED

09-12 (CONT.) 0959 $\%C$ 040°T. 1002 $\%C$ 015°T. 1006 $\%S$ 18 KTS. 1010 $\%C$ 342°T.
1018 $\%S$ 13 KTS. 1021 SET THE SPECIAL SEA AND REPLENISHMENT DETAIL.
MANEUVERING TO TAKE STATION ALONG PORT SIDE OF USS CAMDEN (AOE2)
COURSE 340°T. SPEED 13 KTS. 1037 COMMENCED APPROACH, CAPTAIN
AT THE CONN. 1053 ON STATION ALONGSIDE PORT SIDE OF CAMDEN.
1107 ALL LINES CLEAR. ~~MANEUVERING~~ ^{MANEUVERING} TO CLEAR PORTSIDE OF CAMDEN. *Ja*
1108 SECURED THE SPECIAL SEA AND REPLENISHMENT DETAIL. 1109 $\%C$ 269°T.
1111 $\%S$ 22 KTS. 1136 COMMENCED BLOWING TUBES.

DF Burtch
DF BECKHANE, LTJG USN

12-15 UNDERWAY AS BEFORE. 1333 $\%C$ 275°T. 1338 $\%C$ 270°T $\%S$ 8 KTS. 1354
COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO RECEIVE COAST
GUARD BOAT CG 82330 ON OUR STARBOARD SIDE TO DEBARK PERSONNEL.
1443 COMMENCED MANEUVERING ON VARIOUS COURSES AT 8 KTS. WHILE
AWAITING CALL FIRE MISSION.

Harpe Ellis
H. ELLIS II LTJG USNR

15-18 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES ~~AT~~ 8 KTS TO REMAIN EAST
OF UTM GRID LINE ~~50~~ ⁴⁰ AND WEST OF UTM GRID LINE ~~40~~ ⁵⁰. *WHS*

D. W. Taylor
D. W. TAYLOR, LTJG, USNR

18-21 UNDERWAY AS BEFORE. 1802 $\%C$ 090° 1835 $\%C$ 270° 1850 $\%C$ 0915°
1958 $\%S$ 15 KTS $\%C$ 270° 2000 $\%S$ 8 KTS. 2008 $\%C$ 130° 2011 $\%S$ 15 KTS
 $\%C$ 275° 2013 $\%S$ 8 KTS 2020 $\%C$ 270° 2055 $\%C$ TO 090°

P. O'Harrow
P. O'HARROW LT USN

21-24 UNDERWAY AS BEFORE. 2130 $\%C$ 265° $\%S$ 12 KTS 2132 $\%S$ 8 KTS
2145 $\%S$ 5 KTS 2152 $\%C$ 270° 2200 SET CONDITION OF READINESS II
AND MATERIAL CONDITION ZEBRA (MODIFIED) 2218 $\%C$ 220 2219 $\%S$ 2 KTS.
2230 COMMENCED FIRING HARASSMENT AND INTERDICTION 2245 CEASED
FIRE ROUNDS EXPENDED: 18 5"54 CAL HIGH EXPLOSIVE PROJECTILES
2246 $\%S$ 8 KTS $\%C$ 085° 2250 $\%C$ 090° 2336 $\%C$ 095°T. 2352 $\%S$ 12 KTS,
 $\%C$ 270°T. 2356 $\%S$ 8 KTS

DF Burtch
DF BECKHANE, LTJG USN

EXAMINED:

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE WEDNESDAY 20 Nov. 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM D.M.Z., REPUBLIC OF SOUTH TO VIETNAM.

POSITION	ZONE	TIME
0800		
L <u>16-53.6 N</u>	BY <u>2</u>	
λ <u>107-19.9 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-53.7 N</u>	BY <u>2</u>	
λ <u>107-20.0 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-54.1 N</u>	BY <u>2</u>	
λ <u>107-23.8 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ3 UNDERWAY IN ACCORDANCE WITH CONVENTIONAL QUARTERLY DEPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY AS A UNIT OF CTU 7Φ.8.9. MATERIAL CONDITION ZEBRA (MODIFIED) AND CONDITION OF READINESS II ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. SOPA AND OTC ARE CTU 7Φ.8.9 WHO IS COMDESRON 13 EMBARKED THIS SHIP. STEAMING ON VARIOUS COURSES AT VARIOUS SPEEDS S.W. OF GRID LINE YD 447Φ WHILE CONDUCTING NIGHTTIME "H" AND "I" IN SUPPORT OF THIRD MARINE DIVISION ASHORE. Φ111 COMMENCED FIRE. Φ125 CEASED FIRE. TOTAL ROUNDS EXPENDED: 18 5"54 CALIBER HIGH EXPLOSIVE.

Hayne Ellis
H. ELLIS III LTJG USNR.

Φ3-Φ6 UNDERWAY AS BEFORE. Φ3Φ7 COMMENCED FIRE ON "H" AND "I" TARGETS. Φ336 CEASED FIRE, 18 ROUNDS EXPENDED. Φ336 SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. Φ344 1/5 8 KTS COMMENCING TO STEER VARIOUS COURSES AT 8 KTS TO REMAIN ON EAST-WEST GRID LINE 7Φ STAYING BETWEEN NORTH-SOUTH GRID LINES 45 AND 6Φ.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

Φ6-Φ9 UNDERWAY AS BEFORE Φ624 1/2 27Φ° Φ7ΦΦ MUSTERED THE CREW ON STATION - NO ABSENTEES Φ735 1/5 12 KTS 1/2 Φ9Φ° Φ737 1/5 8 KTS Φ749 1/2 Φ85° Φ8Φ6 1/2 275° Φ8Φ 0818 1/2 27Φ° Φ827 1/2 265° Φ84Φ 1/2 27Φ Φ85Φ 1/2 Φ9Φ Φ851 1/2 27Φ° 1/5 3 KTS

P.R. O'Harrow
P.R. O'HARROW LT USN

Φ9-12 UNDERWAY AS BEFORE. Φ9Φ3 1/5 8 KTS, 1/2 085°T. Φ948 1/2 270°T. 1Φ05 1/2 280°T. 1Φ11 1/2 085°T. 1Φ23 1/2 270°T. 1Φ24 1/5 15 KTS. 1Φ25 CONDITION OF READINESS II SET. 1Φ36 1/5 10 KTS. 1Φ39 1/2 030°T, 1/5 2 KTS. 1Φ41 1/5 5 KTS. 1Φ42 1/5 2 KTS. 1112 CONDITION OF READINESS II MODIFIED SET, 1/2 095°T, 1/5 8 KTS.

D.F. Beechle
D.F. BEECHLE, LTJG, USN

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE WEDNESDAY, 20 NOVEMBER 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

12-15 UNDERWAY AS BEFORE. 1227 COMMENCED FIRING. 1235 CEASED FIRE. TOTAL ROUNDS EXPENDED: 14 5" 54 CALIBER HIGH EXPLOSE. 1238 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEED TO RECEIVED COAST GUARD BOAT CG 82330 ALONGSIDE. 1240 SET CONDITION II (MODIFIED) AND MATERIAL CONDITION YOKO THROUGHOUT THE SHIP.

Hope Ellis
H. ELLIS LTJG USNR.

15-18 UNDERWAY AS BEFORE. 1453 $\frac{1}{2}$ 100 AND $\frac{1}{2}$ 15 KNOTS. COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS FOR TRANSFER WITH USS REPOSE (AH-17). 1530 SET SPECIAL SEA AND HIGHLINE DETAIL. 1555 ALONGSIDE USS REPOSE ON BASE COURSE 080 BASE SPEED 10 KNOTS. 1618 SECURED SPECIAL SEA AND HIGHLINE DETAIL AND MANEUVERED AT VARIOUS COURSES AND SPEEDS TO RETURN TO NGFS STATION. 1645 $\frac{1}{2}$ 270 AND $\frac{1}{2}$ 8 KNOTS. COMMENCED STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN BETWEEN NORTH-SOUTH UTM GRID LINES 40 AND 50 ON EAST-WEST UTM GRID LINE 70.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

18-21 UNDERWAY AS BEFORE. 1823 1814 SET PARKEN SHIP 1825 $\frac{1}{2}$ TO 090° 1945 $\frac{1}{2}$ TO 270° 2020 $\frac{1}{2}$ TO 090°

P.R. O'Harrow
P.R. O'HARROW LT USNR

21-24 UNDERWAY AS BEFORE. 2109 $\frac{1}{2}$ 270° $\frac{1}{2}$ 12 KTS. 2113 $\frac{1}{2}$ 8 KTS. 2144 $\frac{1}{2}$ 268°. 2101 CONDITION OF READINESS II SET. 2208 $\frac{1}{2}$ 220° $\frac{1}{2}$ 2 KTS. 2220 COMMENCED FIRING ON H+I TARGETS. 2239 $\frac{1}{2}$ 040° $\frac{1}{2}$ 10 KTS. 2243 $\frac{1}{2}$ 2 KTS. 2256 CEASED FIRING. AMMUNITION EXPENDED: 21 ROUNDS 5"/54 CAL. HIGH EXPLOSIVE PROJECTILES WITH 21 ROUNDS FULL SERVICE NACO POWDER CARTRIDGES WITH NO CASUALTIES. $\frac{1}{2}$ 090° $\frac{1}{2}$ 8 KTS. 2344 $\frac{1}{2}$ 12 KTS. 2345 $\frac{1}{2}$ 265° T. 2350 $\frac{1}{2}$ 8 KTS.

D.F. Berking
D.F. BERKING LTJG USNR

EXAMINED

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL PDG-24 ZONE DESCRIPTION -8(H) DATE THURSDAY 21 NOV. 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM D.M.E. REPUBLIC OF SOUTH TO VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16-55.0 N</u>	BY <u>2</u>	
λ <u>107-26.1 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-54.8 N</u>	BY <u>2</u>	
λ <u>107-16.6 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-53.6 N</u>	BY <u>2</u>	
λ <u>107-22.9</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ3 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE STEAMING INDEPENDENTLY AS A UNIT OF CTU 7Φ.8.9. MATERIAL CONDITION ZEBRA (MODIFIED) AND CONDITION OF READINESS II ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. SQA AND OTC ARE CTU 7Φ.8.9 WHO IS COMDESRON 13 EMBARKED THIS SHIP. STEAMING ON VARIOUS COURSES AT VARIOUS SPEEDS S.W. OF UTM GRID CO-ORDINATE YD 447Φ WHILE CONDUCTING NIGHTTIME "H" AND "I" FIRE MISSIONS IN SUPPORT OF THE THIRD MARINE DIVISION ASHORE. ⁰⁸³³Φ227 COMMENCED FIRE, Φ2104 CEASED FIRE. TOTAL ROUNDS EXPENDED: 24 5" 54 CALIBER HIGH EXPLOSIVE.

Hape ⁰⁸³³ LTJG USNR

Φ3-Φ6 Φ3Φ6 COMMENCED FIRE. Φ329 CEASED FIRE, 27 ROUNDS EXPENDED. Φ33Φ SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. Φ33Φ $\frac{1}{2}$ 10 KNOTS AND $\frac{1}{2}$ Φ9Φ. Φ334 $\frac{1}{2}$ 8 KNOTS. COMMENCED STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST UTM GRID LINE 7Φ BETWEEN NORTH-SOUTH GRID LINES 45 AND 6Φ. Φ43Φ WHILE REMOVING A BOLT FROM MACHINERY IN AFTER ENGINE ROOM, WINSLOW, P.L., FN, B1184Φ7, HAD THE WRENCH SLIP AND WAS STRUCK IN THE MOUTH. INJURY NOT DUE TO OWN MISCONDUCT. $\frac{1}{2}$ " LACERATION ON UPPER LIP TREATED BY HM3 KLEIN, AND WINSLOW RETURNED TO DUTY.

J.W. Taylor
D.W. TAYLOR, LTJG, USNR

Φ6-Φ9 UNDERWAY AS BEFORE Φ6Φ4 $\frac{1}{2}$ 115° Φ612 $\frac{1}{2}$ Φ9Φ°
Φ65Φ $\frac{1}{2}$ 12 KTS $\frac{1}{2}$ 275° Φ652 $\frac{1}{2}$ 8 KTS. Φ73Φ $\frac{1}{2}$ 12 KTS $\frac{1}{2}$ Φ9Φ°
SET SPECIAL SEA AND LIGHTLINE DETAIL. Φ732 $\frac{1}{2}$ 8 KTS Φ744 $\frac{1}{2}$ 12 KTS
 $\frac{1}{2}$ Φ6Φ° Φ756 USS MASON (DD-852) COMMENCED HER APPROACH Φ8Φ2
ALONGSIDE USS MASON (DD-852) MASON STARBOARD SIDE TO, FOR LIGHTLINE
TRANSFER BASE COURSE Φ6Φ° SPEED 12 KTS Φ82Φ ALL LINGS CLEAR.
Φ821 SECURED SPECIAL SEA AND LIGHTLINE DETAIL $\frac{1}{2}$ 240°
Φ829 MAN OVERBOARD-DRILL $\frac{1}{2}$ 20 KTS. $\frac{1}{2}$ Φ6Φ° Φ832 MANUEVERING AT
VARIOUS COURSES AND SPEEDS TO PICK UP DUMMY Φ847 DUMMY
RETRIEVED Φ849 SECURED FROM MAN OVERBOARD DRILL $\frac{1}{2}$ 12 KTS $\frac{1}{2}$ 24Φ°
Φ853 $\frac{1}{2}$ 13 KTS Φ859 $\frac{1}{2}$ 27Φ

P.R. O'Harrow
P.R. O'HARROW, LT USN

Φ9-12 UNDERWAY AS BEFORE Φ911 $\frac{1}{2}$ to 265° Φ923 $\frac{1}{2}$ to 8 KNOTS Φ927
 $\frac{1}{2}$ to 270° Φ933 $\frac{1}{2}$ to 265° Φ944 $\frac{1}{2}$ to 280° Φ951 $\frac{1}{2}$ to 10 KNOTS Φ957
 $\frac{1}{2}$ to 8 KNOTS $\frac{1}{2}$ to Φ9Φ°, $\frac{1}{2}$ to Φ75° 10ΦΦ $\frac{1}{2}$ to Φ85° 10Φ7 $\frac{1}{2}$ to Φ8Φ°

EXAMINED

J. T. ALEXANDER, LT, USNR U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE Thursday, 21 November, 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

09-12 (CONTINUED) 1035 C/L TO 270° 1123 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) C/S TO 15 KNOTS 1126 C/S TO 2 KNOTS 1130 C/L TO 040° WHILE CONDUCTING FIRING MISSION (SPOTTED) 1138 COMMENCED FIRING MOUNT #51 1150 CEASED FIRING EXPENDED 20 5"/54 CAL HIGH EXPLOSIVE PROJECTILES WITH 20 5"/54 CAL FULL-SERVICE NACO CHARGES 1151 C/S TO 10 KNOTS C/L TO 090° 1152 SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE.

P.R. O'Harrow
P.R. O'HARROW LT USN

12-15 UNDERWAY AS BEFORE. 1218 COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING A SPOTTED CAL FIRE MISSION. 1303 COMMENCED FIRE. 1329 CEASED FIRE. TOTAL ROUNDS EXPENDED: 15-5" 54 CALIBER HIGH EXPLOSIVE. 1334 SET CONDITION II (MOD.) AND YOKE THROUGHOUT THE SHIP. 1440 COMMENCED MANEUVERING TO RECEIVE COAST GUARD BOAT ALONGSIDE. 1411 DISEMBARKED 5 MARINES.

H. Ellis
H. ELLIS LTJG USNR

15-18 UNDERWAY AS BEFORE. MANEUVERING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 70 BETWEEN NORTH-SOUTH GRID LINES 40 AND 50.

J.W. Taylor

J.W. TAYLOR, LTJG, USNR

18-24 UNDERWAY AS BEFORE 1816 % 090° 1846 % 095° 1915 % 090°
1942 % 12 KTS % 270° 2001 % 8 KTS 2026 % 12 KTS % 085°
2028 % 8 KTS 2120 % 12 KTS % 275° 2123 % 8 KTS 2136 % 280°
2147 % 275° 2155 % 3 KTS 2200 SET CONDITION OF READINESS II
2208 % 10 KTS % 220° 2210 % 2 KTS 2223 COMMENCED FIRING AT H & I TARGETS 2226 CEASED FIRE 10 5"/54 CAL HIGH EXPLOSIVE PROJECTILES EXPENDED 2227 % 8 KTS % 090° 2228 % 12 KTS
2230 % 8 KTS 2235 % 085° 2246 % 090° 2255 % 15 KTS % 270°
2258 % 10 KTS 2300 % 8 KTS 2306 090° 2308 % 12 KTS
2310 % 8 KTS 2328 % 270° 2341 % 2 KTS 2344 % 220°

P.R. O'Harrow
P.R. O'HARROW

EXAMINED

J.T. Alexander
J.T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8 H DATE FRIDAY 22 Nov. 1968
(Day) (Date) (Month)
AT/PASSAGE FROM P.M.Z REPUBLIC OF TO SOUTH VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16-53.4N</u>	BY <u>2</u>	
λ <u>107-19.3E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-53.7N</u>	BY <u>2</u>	
λ <u>107-21.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-53.6N</u>	BY <u>2</u>	
λ <u>107-22.2E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ3 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY AS A UNIT OF CTU 7Φ.8.9. MATERIAL CONDITION ZEBRA (MODIFIED) AND CONDITION OF READINESS II ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. SOPA AND OTC ARE CTU 7Φ.8.9 WHO IS COMDESRON 13 EMBARKED THIS SHIP. STEAMING ON VARIOUS COURSES AND SPEEDS IN THE VICINITY OF UTM GRID CO-ORDINATE YD447Φ WHILE CONDUCTING NIGHTTIME "H" AND "I" MISSIONS IN SUPPORT OF THE THIRD MARINE DIVISION ASHORE. ΦΦΦ1 COMMENCED FIRE. ΦΦΦ4 CEASED FIRE. TOTAL ROUNDS EXPENDED: 10-5" 54 CALIBER HIGH EXPLOSIVE.

Hope Ellis LTJG USNR

Φ3-Φ6 Φ3 UNDERWAY AS BEFORE Φ349 % 22Φ, % 2 KTS. Φ4Φ4 COMMENCED FIRE. Φ4Φ9 CEASED FIRE, 1Φ ROUNDS 5"-54 CALIBER HIGH EXPLOSIVE EXPENDED. Φ41Φ % Φ9Φ, % 15 KTS. Φ412 % 8 KTS, COMMENCE STEERING VARIOUS COURSES AT 8 KTS TO REMAIN ON EAST-WEST GRID LINE 7Φ BETWEEN NORTH-SOUTH GRID LINES 45 AND 6Φ. SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

Φ6-Φ9 UNDERWAY AS BEFORE Φ633 % 12 KTS % Φ9Φ° Φ635 % 8 KTS Φ70Φ MUSTERED CREW ON STATION - NO ABSENTEES Φ715 % 12 KTS % 275° Φ717 % 8 KTS Φ825 % Φ85°

P.R. O'Harrow
P.R. O'HARROW LT USN

Φ9-12 UNDERWAY AS BEFORE. Φ903 % 12 KTS, % 275° T. Φ906 % 8 KTS. Φ95Φ % 12 KTS, % Φ8Φ° T. Φ952 % 8 KTS. 1031 % 12 KTS, % 275° T. 1033 % 8 KTS. 1044 % 280° T. 1048 % 290° T. 1064 % 270° T. 1118 % 12 KTS. % Φ9Φ° T. 112Φ 8 KTS. 1128 % 110° T. 113Φ % Φ9Φ Φ85° T

D.F. Beckwith
D.F. BECKWITH, LTJG, USN

12-15 UNDERWAY AS BEFORE. STEAMING IN THE VICINITY OF UTM GRID CO-ORDINATE YD447Φ WHILE AWAITING CALL FIRE MISSION.

Hope Ellis
H. ELLIS LTJG USNR

EXAMINED

J.T. Alexander
J.T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE FRIDAY, 22 NOVEMBER 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1415 SET MATERIAL CONDITION ~~ZULU~~ ^{ZEBRA} (MODIFIED) LWS
AND CONDITION OF READINESS II THROUGHOUT THE SHIP. COMMENCED STEAMING VARIOUS
COURSES AND SPEEDS DURING A CALL FOR FIRE MISSION. 1536 COMMENCED FIRE.
1631 CEASED FIRE. 1635 SET MATERIAL CONDITION YOKE AND CONDITION OF
READINESS II (MODIFIED) THROUGHOUT THE SHIP. 1636 $\% 100$ AND $\% 8$ KTS. COMMENCED
STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 70
BETWEEN NORTH-SOUTH GRID LINES 40 AND 50.

D. W. Taylor

D. W. TAYLOR, LTJG, USNR

18-21 UNDERWAY AS BEFORE 1803 $\% 15$ KTS $\% 090^\circ$ 1804 $\% 8$ KTS
1845 $\% 085^\circ$ 1905 $\% 080^\circ$ 1925 $\% 12$ KTS $\% 275^\circ$ 1928 $\% 8$ KTS
2025 C/C TO 090°

P. R. O'Harrow

P. R. OHARROW LT USN

21-24 UNDERWAY AS BEFORE. 2123 $\% 12$ KTS, $\% 275^\circ$. 2125 $\% 8$ KTS.
2210 $\% 12$ KTS, $\% 085^\circ$. 2212 $\% 8$ KTS. 2248 $\% 090^\circ$. 2252 $\% 270^\circ$.
2253 $\% 075^\circ$. 2258 $\% 095^\circ$. 2320 $\% 270^\circ$

DF Biddle

DF BORTON, LTJG, USN

EXAMINED:

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8 (H) DATE SATURDAY 23 Nov 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM D.M.Z. REPUBLIC OF S. VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16-48.6 N</u>	BY <u>2</u>	
λ <u>107-33.1 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-52.2 N</u>	BY <u>2</u>	
λ <u>107-17.4 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-53.5 N</u>	BY <u>2</u>	
λ <u>107-23.8 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH CONVENTIONAL QUARTERLY DEPLOYMENT SCHEDULE STEAMING INDEPENDENTLY AS A UNIT OF CTU 70.8.9 MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. SOPA AND OTC ARE CTU 70.8.9 WHO IS COMDESRON 13 EMBARKED THIS SHIP. STEAMING ON VARIOUS COURSES AND SPEEDS IN THE VICINITY OF UTM GRID CO-ORDINATE YD 4470 WHILE CONDUCTING NIGHTTIME "H" AND "I" MISSION IN SUPPORT OF THE THIRD MARINE DIVISION ASHORE. 0250 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) THROUGHOUT THE SHIP.

Hayne Ellis LTJG USNR

03-06 UNDERWAY AS BEFORE. 0305 COMMENCED FIRE. 0334 CEASED FIRE, 30 ROUNDS EXPENDED. 0505 COMMENCED FIRE. 0510 CEASED FIRE, 15 ROUNDS EXPENDED. 0514 SET MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) THROUGHOUT THE SHIP. 0514 % 10 KTS. 0515 % 10, COMMENCED STEERING VARIOUS COURSES AND AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 70 BETWEEN NORTH-SOUTH GRID LINES 45 AND 60.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

06-09 UNDERWAY AS BEFORE. 0621 % 270° T. 0638 % 275° T. 0656 % 12 KTS 0658 % 10 KTS. 0659 % 8 KTS. 0830 ALONGSIDE USS MATTAPONI (AO-41) FOR REFUELING COURSE 120° SPEED 12 KTS WADDELL PORT SIDE TO.

P.R. O'Harrow
P.R. O'HARROW LT USN

09-12 UNDERWAY AS BEFORE. 0920 ALL LINES CLEAR % 20 KTS % 015° SECURED SPECIAL SEA AND REFUELING DETAIL SET HELD DETAIL FOR RECEIVING MAIL 0929 SECURED HELD DETAIL 1103 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED

P.R. O'Harrow
P.R. O'HARROW LT USN

12-15 UNDERWAY AS BEFORE. 1148 COMMENCED FIRE. 1220 CEASED FIRE, SET MATERIAL CONDITION YOKE ~~AND~~ ^{AND} CONDITION OF READINESS II (MODIFIED) THROUGHOUT THE SHIP. 1222 COMMENCED STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 70 BETWEEN NORTH-SOUTH GRID LINES 40 AND 50. 1411 SET MATERIAL CONDITION ZEBRA (MODIFIED) AND CONDITION OF READINESS II. 1411 % 355 % 15 KTS. COMMENCED STEAMING VARIOUS COURSES AND SPEEDS DURING CALL FOR FIRE.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE Saturday 23 November 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1504 COMMENCED FIRE. 1513 CEASED FIRE. TOTAL ROUNDS EXPENDED: 6 5" 54 CALIBER HIGH EXPLOSIVE. SET CONDITION II MODIFIED AND MATERIAL CONDITION YOKE. 1522 COMMENCED STEAMING ON VARIOUS COURSES AND SPEEDS IN DAYTIME STEAMING AREA. 1742 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED.

H. Ellis
H. ELLIS II LTJG USNR

18-24 UNDERWAY AS BEFORE. 1801 $\frac{1}{2}$ 3KTS, $\frac{1}{2}$ 340°T. 1810 COMMENCED CALL FOR FIRE MISSION USING MOUNT 51. 1812 CEASED FIRING. AMMUNITION EXPENDED: FOUR ROUNDS OF 5" 54 HIGH EXPLOSIVE PROJECTILES FOLLOWED BY FOUR FULL SERVICE NAO POWDER CHARGES. 1814 $\frac{1}{2}$ 8KTS, $\frac{1}{2}$ 145°T. 1815 $\frac{1}{2}$ 12KTS. 1825 SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE. THROUGHOUT THE SHIP. 1839 $\frac{1}{2}$ 090°T. 1840 $\frac{1}{2}$ 8KTS. 1910 $\frac{1}{2}$ 10KTS, $\frac{1}{2}$ 265°T. 1921 $\frac{1}{2}$ 270°T, $\frac{1}{2}$ 8KTS. 1925 $\frac{1}{2}$ 12KTS, $\frac{1}{2}$ 095°T. 1928 $\frac{1}{2}$ 8KTS. 1935 $\frac{1}{2}$ 085°T. 2012 $\frac{1}{2}$ 270°T. 2016 $\frac{1}{2}$ 12KTS. 2018 $\frac{1}{2}$ 8KTS. 2025 $\frac{1}{2}$ 275°T. 2050 $\frac{1}{2}$ 12KTS, $\frac{1}{2}$ 090°T. 2052 $\frac{1}{2}$ 8KTS

DF Buhle
DF BUKHLE LTJG USN

21-24 UNDERWAY AS BEFORE. 2140 $\frac{1}{2}$ 12KTS $\frac{1}{2}$ 090° 2142 $\frac{1}{2}$ 8KTS 2240 $\frac{1}{2}$ 12KTS 2243 $\frac{1}{2}$ 8KTS 2344 $\frac{1}{2}$ 12KTS $\frac{1}{2}$ 270° 2346 $\frac{1}{2}$ 8KTS

P.R. O'Harrow
P.R. O'HARROW LT USN

EXAMINED:

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE SUNDAY 29 Nov. 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM D.M.Z, REPUBLIC OF SOUTH VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16-50.1 N</u>	BY <u>2</u>	
λ <u>107-46.0 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-49.0 N</u>	BY <u>2</u>	
λ <u>107-44.3 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-53.4 N</u>	BY <u>2</u>	
λ <u>107-22.2 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ3 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY AS A UNIT OF CTU 7Φ.8.9 MATERIAL CONDITION VOK AND CONDITION OF READINESS II (MODIFIED) ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. SOPA AND OTC ARE CTU 7Φ.8.9 WHO IS COMDESRON 13 EMBARKED THIS SHIP. STEAMING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 7Φ BETWEEN NORTH-SOUTH GRID LINES 45 AND 6Φ. Φ3ΦΦ SET MATERIAL CONDITION ZEBRA (MODIFIED) AND CONDITION OF READINESS II THROUGHOUT THE SHIP.

D. W. Taylor

D. W. TAYLOR, LTJG, USNR

Φ3-Φ6 UNDERWAY AS BEFORE. Φ315 COMMENCED FIRE. CEASED FIRE 3 ROUNDS EXPENDED. Φ333 SET MODIFIED II THROUGHOUT THE SHIP. Φ433 SET CONDITION OF READINESS II THROUGHOUT THE SHIP. Φ51Φ COMMENCED FIRE. Φ515 CEASED FIRE. TOTAL ROUNDS EXPENDED: 15 - 5" 54 CALIBER HIGH EXPLOSIVE. Φ51Φ SET CONDITION II (MODIFIED) THROUGHOUT THE SHIP.

H. E. Lister
H. E. LISTER, LTJG, USNR

Φ6-Φ9 UNDERWAY AS BEFORE. Φ622 C/C Φ8Φ°T. Φ634 C/S 12 KTS. C/C 27Φ°T. Φ637 C/S 8 KTS. Φ648 C/S 12 KTS. C/C Φ9Φ°T. Φ651 C/S 8 KTS. Φ7ΦΦ C/S 2Φ KTS. C/C 10Φ°T. Φ723 C/C Φ97°T. Φ744 C/C 105°T. Φ8Φ5 C/C 110°T. SET THE SPECIAL SEA AND REARMING DETAIL Φ8Φ9 C/C 116°T COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS WHILE COMING ~~ALONGSIDE~~ *ALONGSIDE* USS MT RAINIER (AE-5). ~~Φ911 ALONGSIDE USS MT RAINIER ON BASE COURSE 080, BASE SPEED 12 KNOTS, MANEUVERING AT VARIOUS COURSES AND SPEEDS MAINTAINING STATION~~

J. D. Walker

J. D. WALKER, LT, USN

Φ9-12 Φ9ΦΦ C/C Φ8Φ°T. Φ9Φ1 C/S 17 KTS. COMMENCED APPROACH ON USS MT RAINIER (AE-5) Φ911 ALONGSIDE USS MT RAINIER (AE-5). WADDELL PORT SIDE TO FOR REARMING. ON COURSE Φ8Φ°T BASE SPEED 12 KTS. 1Φ2Φ ALL LINES CLEAR C/S 2Φ KTS. C/C Φ8Φ°T C/C 25Φ°T. 1Φ25 SECURED SPECIAL SEA AND REARMING DETAIL. C/C 277°T. 11Φ5 COMMENCED TEST FIRING MTS 51 & 52. 1114 C/S 1Φ KTS 1132 CEASED FIRE. ROUNDS EXPENDED: 16 - 5" 54 CALIBER HIGH EXPLOSIVE PROJECTILES. 1136 C/C 282°T. C/S 20 KTS.

P. R. O'Harrow

P. R. O'HARROW, LT, USN

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE Sunday, 24 November 68
(Day) (Date) (Month)

REMARKS—CONTINUED

1215-15 UNDERWAY AS BEFORE. 1339 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED). 1424 COMMENCED FIRE. 1436 CEASED FIRE. TOTAL ROUNDS EXPENDED: 20. 5" 54 CALIBER HIGH EXPLOSIVE. 1449 SET MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED).

D.W. Taylor
D.W. TAYLOR LTJG USNR.

15-18 UNDERWAY AS BEFORE. 1514 $\frac{1}{2}$ 8 KTS. 1517 $\frac{1}{2}$ 15 KTS AND $\frac{1}{2}$ 295, COMMENCED STEAMING VARIOUS COURSES AND SPEEDS DURING CALL FOR FIRE. 1525 SET MATERIAL CONDITION ZEBRA (MODIFIED) AND CONDITION OF READINESS II THROUGHOUT THE SHIP. 1552 COMMENCED FIRE. 1607 CEASED FIRE, 23 ROUNDS EXPENDED. 1608 $\frac{1}{2}$ 110 AND $\frac{1}{2}$ 15 KTS. 1609 SET MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) THROUGHOUT THE SHIP. 1616 $\frac{1}{2}$ 120. 1634 $\frac{1}{2}$ 270. 1636 $\frac{1}{2}$ 8 KTS. 1713 $\frac{1}{2}$ 080.

H. Ellis III
H. ELLIS III, LTJG, USNR

18-21 UNDERWAY AS BEFORE 1821 $\frac{1}{2}$ 090°T, $\frac{1}{2}$ 12 KTS. 1824 $\frac{1}{2}$ 8 KTS. 1831 $\frac{1}{2}$ 085°T 1930 $\frac{1}{2}$ 12 KTS, $\frac{1}{2}$ 275°T. 1932 $\frac{1}{2}$ 8 KTS. 1945 $\frac{1}{2}$ 280°T. 2023 $\frac{1}{2}$ 12 KTS, $\frac{1}{2}$ 085°T. 2025 $\frac{1}{2}$ 8 KTS. 2033 $\frac{1}{2}$ 15 KTS, $\frac{1}{2}$ 275°T. 2040 $\frac{1}{2}$ 270°T. SET CONDITION OF READINESS II AND MODIFIED MATERIAL CONDITION ZEBRA MODIFIED AS 2043 $\frac{1}{2}$ 3 KTS. 2044 $\frac{1}{2}$ 220°T. 2051 $\frac{1}{2}$ 12 KTS $\frac{1}{2}$ 085°T. 2054 $\frac{1}{2}$ 8 KTS. 2055 SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE.

P.R. O'Harrow
P.R. O'HARROW LTJG USNR

21-24 UNDERWAY AS BEFORE 2150 C/C TO 270° 2236 C/C TO 090° 2330 C/C TO 267°
P.R. O'Harrow
P.R. O'HARROW LT USNR

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE MONDAY 25 NOV. 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM DMZ, REPUBLIC OF SOUTH TO VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16-53.5N</u>	BY <u>2</u>	
λ <u>107-16.5E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-57.6N</u>	BY <u>2</u>	
λ <u>107-15.3E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-52.7N</u>	BY <u>2</u>	
λ <u>107-27.3E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ3 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY AS A UNIT OF CTU 7Φ.8.9. MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. SOPA AND OTC ARE CTU 7Φ.8.9 WHO IS COMDESRON 13 EMBARKED THIS SHIP. STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 7Φ BETWEEN NORTH-SOUTH GRID LINES 45 AND 6Φ. ΦΦ47 SET MATERIAL CONDITION ZEBRA (MODIFIED) AND CONDITION OF READINESS II THROUGHOUT THE SHIP. ΦΦ47 % 22Φ % 2 KNOTS, COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS WHILE CONDUCTING "H" AND "I" FIRE. Φ1Φ7 COMMENCED FIRE. Φ134 CEASED FIRE; 8 ROUNDS EXPENDED. Φ134 % Φ95 AND % 8 KTS. Φ214 % 27Φ. Φ134 SET MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) THROUGHOUT THE SHIP. Φ214 % 27Φ. Φ245 % 22Φ. Φ247 % 3 KTS, SET MATERIAL CONDITION ZEBRA (MODIFIED) AND CONDITION OF READINESS II THROUGHOUT THE SHIP.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

Φ3-Φ6 UNDERWAY AS BEFORE. Φ3Φ2 COMMENCED FIRE. Φ317 CEASED FIRE. TOTAL ROUNDS EXPENDED: 16-5" 54 CALIBER HIGH EXPLOSIVE PROJECTILES. SET MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) THROUGHOUT THE SHIP.

Hayes Ellis LTJG USNR

Φ6-Φ9 UNDERWAY AS BEFORE. Φ617 % 22Φ°T. Φ692 % 265°T. Φ7ΦΦ MUSTERED THE CREW ON STATION WITH NO ABSENTEES. Φ7Φ2 % Φ95°T. Φ712 % Φ9Φ°T. Φ721 % 12KTS, % 22Φ°T. Φ724 % 8KTS. Φ8ΦΦ % 12KTS, % Φ9Φ°T. Φ8Φ2 % 8KTS. Φ892 % 8 12KTS, % 28Φ°T. Φ896 % 8KTS.

Dr. Bechtle
Dr. Bechtle, LTJG, USNR

Φ9-12 UNDERWAY AS BEFORE Φ913 % 12 KTS % Φ9Φ° Φ915 % 8 KTS Φ925 % 1Φ5° Φ936 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MOD) % 15 KTS % 285° Φ939 % 29Φ° Φ947 % 2Φ KTS Φ959 % 2 KTS 1ΦΦΦ % Φ3Φ° 1ΦΦ2 % 5 KTS 1ΦΦ3 % 2 KTS 1Φ17 COMMENCED FIRING UNDER CONTROL OF SPOTTER. 1Φ46 CEASED FIRE ROUNDS EXPENDED: 52 5/8 CAL HIGH EXPLOSIVE PROJECTILES 1Φ5Φ % 12 KTS % 115° 1Φ52 SET CONDITION OF READINESS OF READINESS II (MOD) AND MATERIAL CONDITION YOKE 1Φ53 % 8 KTS

EXAMINED

J. T. ALEXANDER, LT, USNR U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE Monday, 25 November, 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

09-12 (cont) 1054 $\frac{1}{2}$ 130° 1116 $\frac{1}{2}$ 20 KTS $\frac{1}{2}$ 330° SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MOD) 1122 $\frac{1}{2}$ 320° 1127 $\frac{1}{2}$ 2 KTS 1129 $\frac{1}{2}$ 20 KTS 1130 $\frac{1}{2}$ 2 KTS 1132 $\frac{1}{2}$ 320° 1133 $\frac{1}{2}$ 230° 1147 $\frac{1}{2}$ 10 KTS $\frac{1}{2}$ 050° 1149 $\frac{1}{2}$ 2 KTS

P.R. O'Harrow
P.R. O'HARROW LT USN

12-15 UNDERWAY AS BEFORE. 1205 COMMENCED FIRING. 1222 CEASED FIRING, SET MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) THROUGHOUT THE SHIP. 1223 34 ROUNDS EXPENDED. 1223 $\frac{1}{2}$ 125 AND $\frac{1}{2}$ 10 KTS. 1259 $\frac{1}{2}$ 270° 1301 $\frac{1}{2}$ 8 KTS. 1345 $\frac{1}{2}$ 085. 1420 $\frac{1}{2}$ 135.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

15-18 UNDERWAY AS BEFORE. 1506 $\frac{1}{2}$ 15 KTS. RETURNING TO STATION. 1507 $\frac{1}{2}$ 300° T. 1554 $\frac{1}{2}$ 300° T. 1600 $\frac{1}{2}$ 10 KTS. $\frac{1}{2}$ 270° T. 1605 $\frac{1}{2}$ 8 KTS. 1609 $\frac{1}{2}$ 050° T. 1633 $\frac{1}{2}$ 090° T. 1648 $\frac{1}{2}$ 15 KTS. $\frac{1}{2}$ 295° T. 1656 $\frac{1}{2}$ 290° T. 1730 $\frac{1}{2}$ 270° T. $\frac{1}{2}$ 8 KTS. 1746 $\frac{1}{2}$ 090°.

D.W. Kuypers
D.W. KUYPERS, LT, USNR

18-21 UNDERWAY AS BEFORE. 1807 $\frac{1}{2}$ 270° T, $\frac{1}{2}$ 12 KTS. 1808 $\frac{1}{2}$ 15 KTS. 1810 $\frac{1}{2}$ 280° T. 1811 CONDITION OF READINESS II SET. 1813 $\frac{1}{2}$ 300° T, $\frac{1}{2}$ 20 KTS. 1818 $\frac{1}{2}$ 10 KTS. 1825 COMMENCED FIRING. 1843 CEASED FIRING. AMMUNITION EXPENDED: 12 ROUNDS 5"/54 CAL. HIGH EXPLOSIVE PROJECTILES AND 21 5" ROUNDS 5"/54 CAL. VT PROJECTILES WITH 33 ROUNDS NACO POWDER CARTRIDGES WITH NO CASUALTIES. $\frac{1}{2}$ 105° T. 1845 CONDITION OF READINESS II MODIFIED SET. 1847 $\frac{1}{2}$ 120° T. 1851 $\frac{1}{2}$ 8 KTS. 1853 $\frac{1}{2}$ 15 KTS. 1855 $\frac{1}{2}$ 098° T. 1935 $\frac{1}{2}$ 8 KTS. 1946 $\frac{1}{2}$ 270° T. 2002 $\frac{1}{2}$ 275° T. 2037 $\frac{1}{2}$ 080° T, $\frac{1}{2}$ 12 KTS. 2039 $\frac{1}{2}$ 8 KTS.

D.F. Berberich
D.F. BERBERICH, LTJG, USN

21-24 UNDERWAY AS BEFORE 2100 $\frac{1}{2}$ 15 KTS $\frac{1}{2}$ 110° FOR RENDEZVOUS WITH USS CHEMUNG 2134 $\frac{1}{2}$ 105° 2145 $\frac{1}{2}$ 20 KTS 2147 $\frac{1}{2}$ 22 KTS 2202 $\frac{1}{2}$ 25 KTS 2207 $\frac{1}{2}$ 100° 2215 $\frac{1}{2}$ 090° 2220 $\frac{1}{2}$ 22 KTS 2221 SET SPECIAL SEA AND REFUELING DETAIL 2229 $\frac{1}{2}$ 15 KTS 2233 $\frac{1}{2}$ 090° 2234 $\frac{1}{2}$ 10 KTS 2235 $\frac{1}{2}$ 087° $\frac{1}{2}$ 12 KTS 2252 ALONGSIDE USS CHEMUNG WADDELL STARBOARD SIDE TO COURSE 090° SPEED 12 KTS. FOR REFUELING AND TO RECEIVE 10 PERSONNEL

P.R. O'Harrow
P.R. O'HARROW LT USN

EXAMINED:

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE TUESDAY 26 NOV. 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM DMZ. REPUBLIC OF SOUTH TO VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16-31.4 N</u>	BY <u>2</u>	
λ <u>107-51.6 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-23.5 N</u>	BY <u>2</u>	
λ <u>107-57.7 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-53.7 N</u>	BY <u>2</u>	
λ <u>107-24.2 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ3 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY AS A UNIT OF CTU 7Φ.8.9. MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. SOPA AND OTC ARE CTU 7Φ.8.9 WHO IS COMDESRON 13 EMBARKED THIS SHIP. ΦΦΦ7 ON COURSE 28Φ, SPEED 22 KNOTS. Φ153 % 2Φ KTS. Φ156 % 275. Φ2ΦΦ SECURED NAVIGATION LIGHTS. Φ2Φ9 % 27Φ. Φ216 % 8 KTS. Φ252 % ΦΦΦ. Φ256 % 1Φ5.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

Φ3-Φ6 UNDERWAY AS BEFORE. Φ6Φ1 % 115 % 20 KTS.

D.W. Kuyper
D.W. KUYPERS, LT, USNR

Φ6-Φ9 UNDERWAY AS BEFORE. Φ63Φ % 130°T. Φ634 % 134°T. Φ636 % 145°T. Φ7Φ3 % 120°T. Φ7Φ5 % 110°T. Φ7Φ9 % 120°T. Φ715 % 130°T. Φ72Φ % 120°T. Φ724 % 135°T. Φ735 % 120°T. Φ745 % 135°T. Φ751 % 140°T. Φ8Φ7 % 145°T. Φ817 % 135°T. Φ826 % 120°T. Φ828 % 130°T, % 10 KTS. Φ835 % 8 KTS, % Φ8Φ°T.

DF Benthin
DF BENTHIN, LTJG, USNR

Φ9-12 UNDERWAY AS BEFORE Φ917 % 115° Φ927 % 245° % 10 KTS Φ929 % 8 KTS Φ949 % 12 KTS % Φ8Φ° Φ951 % 8 KTS 1015 % 26Φ° 1016 % 12 KTS 1017 % 8 KTS 102Φ % 11Φ° % 12 KTS 1022 % 8 KTS 1038 % 28Φ° 104Φ % 4Φ 12 KTS 105Φ % 2Φ KTS 11ΦΦ SET CONDITION OF READINESS TD AND MATERIAL CONDITION ZEBRA (MOD) 11Φ9 % 2 KTS 111Φ % 24Φ° 1132 COMMENCED FIRE 1155 CEASED FIRE ROUNDS EXPENDED: 17 5" CAL HIGH EXPLOSIVE PROJECTILES

P.R. O'Harrow
P.R. O'HARROW, LT, USN

12-15 UNDERWAY AS BEFORE. 12ΦΦ SET MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) THROUGHOUT THE SHIP. 12Φ5 % 315 % 2Φ KTS. 1223 % 325. 1227 % 315. 1259 % 32Φ. 13Φ3 % 315. 13Φ8 % 31Φ. 1321 % 32Φ. 1322 % 31Φ. 1336 % 3Φ5. 1434 % 27Φ % 8 KTS. 1443 C/C TO 090

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

EXAMINED

J. T. ALEXANDER, LT, USNR U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24DATE Tuesday 26 November 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1551 $\frac{1}{2}$ 315 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) THROUGHOUT THE SHIP. 1602 $\frac{1}{2}$ 20 KTS. 1610 $\frac{1}{2}$ 5 + 4 KTS. 1624 COMMENCED FIRE. 1632 CEASED FIRE. 2 ROUNDS EXPENDED. SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKO THROUGHOUT THE SHIP. 1651 $\frac{1}{2}$ 270°T. 1652 $\frac{1}{2}$ 8 KTS. 1712 $\frac{1}{2}$ 090°T. 1745 $\frac{1}{2}$ 270°T. 1754 $\frac{1}{2}$ 280°T.

D. W. Kuypers
D. W. KUYPERS, LT, USNR

18-21 UNDERWAY AS BEFORE. 1824 $\frac{1}{2}$ 090°T. 1835 1833 $\frac{1}{2}$ 085°T. 1907 $\frac{1}{2}$ 080°T. 1941 $\frac{1}{2}$ 275°T. 2045 $\frac{1}{2}$ 085°T.

DF Berkebile
DF BERKEBILE, LTJG, USN

21-24 UNDERWAY AS BEFORE. 2149 $\frac{1}{2}$ 275° 2251 $\frac{1}{2}$ 085° 2330 $\frac{1}{2}$ 090° 2354 $\frac{1}{2}$ 270°

P. R. O'Harrow
P. R. O'HARROW LT, USN

EXAMINED:

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE WEDNESDAY 27 NOV. 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM DMZ, REPUBLIC OF SOUTH TO VIETNAM

POSITION	ZONE	TIME
0800		
L <u>16-51.3 N</u>	BY <u>2</u>	
λ <u>107-30.8 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-52.3 N</u>	BY <u>2</u>	
λ <u>107-28.2 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-53.8 N</u>	BY <u>2</u>	
λ <u>107-22.7 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY AS A UNIT OF CTU 70.8.9. MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. SOPA AND OTC ARE CTU 70.8.9 WHO IS COMDESRON 13 WHO IS EMBARKED THIS SHIP. STEAMING ON COURSE 270 AT 8 KNOTS, STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 70 BETWEEN NORTH-SOUTH GRID LINES 45 AND 60.

D. W. Taylor

D. W. TAYLOR, LTJG, USNR

03-06 UNDERWAY AS BEFORE. 0522 C/C 130°T. ~~0535~~ C/C 110°T. 0558 C/C 090°T. 0603 C/C 095°T.

D. W. Kuypers

D. W. KUYPERS, LT., USNR

06-09 UNDERWAY AS BEFORE. 0605 1/2 10 KTS. 0626 1/2 8 KTS. 0631 C/C 100°T. 0635 C/C 105°T. 0648 C/C 090°T. 0659 1/2 280°T. 0707 C/C 085°T, 1/2 12 KTS. ~~0708~~ 0708 C/C 080°T, 1/2 8 KTS. 0713 1/2 5 KTS. 0718 1/2 ENGINES ALL STOP. 0720 C/C 110°T. 0726 C/C 230°T, 1/2 10 KTS. 0727 C/C 250°T, 1/2 15 KTS. 0728 C/C 210°T. 0729 ENGINES ALL STOP. SET TO RECEIVE GIG FROM USS DUPONT (DD-941) TO STBD. 0730 C/C 270°T. 0734 GIG ALONGSIDE. COMDESRON 5 AND STAFF COME ABOARD USS WADDELL. 0737 GIG CLEAR. 0739 C/C 110°T, 1/2 10 KTS. 0742 C/C 100°T. 0743 ENGINES ALL STOP. 0756 1/2 5 KTS. 0758 1/2 8 KTS. 0759 C/C 280°T. 0810 C/C 270°T. 0816 C/C 265°T. 0847 1/2 12 KTS, C/C 090°T. 0853 1/2 8 KTS.

D. F. Bontemps

D. F. BONTEMPS, LTJG, USN

09-12 UNDERWAY AS BEFORE. 0945 1/2 12 KTS C/C 270° 0947 1/2 8 KTS. 1045 C/C 090° 1126 C/C 270°

T. R. O'Harrow

T. R. O'HARROW, LT, USN

12-15 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 65 BETWEEN NORTH-SOUTH GRID LINES 55 AND 70. 1312 C/C 170. 1317 1/2 12 KTS, COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO RECEIVE THE GIG OF USS DUPONT (DD 941) TO STBD. 1404 GIG FROM USS DUPONT ALONGSIDE. 1411 COMDESRON 5 AND HIS STAFF DEPARTED THE SHIP, AND THE GIG RETURNED TO USS DUPONT. 1441 1/2 2 KTS ON COURSE 120, MANEUVERING AT VARIOUS COURSES AND SPEEDS TO RETURN TO STATION.

EXAMINED

J. T. Alexander

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE WEDNESDAY 27 NOVEMBER 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

D. W. Taylor

D. W. TAYLOR, LTJG, USNR

15-18 UNDERWAY AS BEFORE. 1501 $\frac{1}{2}$ S 2 KTS. 1504 $\frac{1}{2}$ S ALL STOP. 1517 $\frac{1}{2}$ S 15 KTS.
 $\frac{1}{2}$ C 340° T. 1533 $\frac{1}{2}$ C 315° T. 1546 $\frac{1}{2}$ S 8 KTS. $\frac{1}{2}$ C 270° T. 1625 $\frac{1}{2}$ C 090° T.
 1653 $\frac{1}{2}$ C 305° T. 1654 $\frac{1}{2}$ S 15 KTS. 1708 $\frac{1}{2}$ S 8 KTS. $\frac{1}{2}$ C 270° T. 1730
 $\frac{1}{2}$ C 090° T. 1738 $\frac{1}{2}$ S 15 KTS. $\frac{1}{2}$ C 030° T.

D. W. Kuypers

D. W. KUYPERS, LT, USNR.

18-21 UNDERWAY AS BEFORE. 1801 $\frac{1}{2}$ C 270° T, $\frac{1}{2}$ S 8 KTS. 1825 $\frac{1}{2}$ C 090° T.
 1847 $\frac{1}{2}$ C 085° T. 1930 $\frac{1}{2}$ C 275° T. 2032 $\frac{1}{2}$ C 090° T. 2044 $\frac{1}{2}$ C 085° T.

D. F. Berkman

D. F. BERKMAN, LTJG, USN

21-24 UNDERWAY AS BEFORE 2136 $\frac{1}{2}$ S 12 KTS $\frac{1}{2}$ C 275° 2139 $\frac{1}{2}$ S 8 KTS
 2148 $\frac{1}{2}$ C 270° 2202 $\frac{1}{2}$ C 275° 2204 $\frac{1}{2}$ C 280° 2209 $\frac{1}{2}$ C 270° 2217 $\frac{1}{2}$ C 275°
 2237 $\frac{1}{2}$ S 12 KTS $\frac{1}{2}$ C 090° 2239 $\frac{1}{2}$ S 8 KTS 2335 $\frac{1}{2}$ S 12 KTS $\frac{1}{2}$ C 270°
 2338 $\frac{1}{2}$ S 8 KTS

P. R. O'Harrow

P. R. O'HARROW LT USN

EXAMINED:

J. T. Alexander

J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE THURSDAY 28 NOVEMBER 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM DMZ, REPUBLIC OF SOUTH VIETNAM TO

POSITION	ZONE	TIME
0800		
L <u>16-53.8N</u>	BY <u>2</u>	
λ <u>107-19.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-37.2N</u>	BY <u>2</u>	
λ <u>108-02.9</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-53.6N</u>	BY <u>2</u>	
λ <u>106-26.7E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY AS A UNIT OF CTU 70.8.9. MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. SOPA AND OTC ARE CTU 70.8.9 WHO IS COMDESRON 13 EMBARKED THIS SHIP. 0000 STEAMING ON COURSE 270 AT 8 KNOTS, STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 70 BETWEEN NORTH-SOUTH GRID LINES 45 AND 60.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

03-06 UNDERWAY AS BEFORE.

D.W. Kuypers
D.W. KUYPERS, LT, USNR

06-09 UNDERWAY AS BEFORE. 0600 9C 270°T, 9S 15 KTS, 9C 265°T, 0604 9S 8 KTS, 0630 9C 090°T, 0645 9C 095°T, 0647 9C 270°T, 9S 12 KTS, ~~0650~~ 0650 9S 8 KTS, 0717 9C 113°T, 9S 15 KTS, 0718 9C 110°T, 0720 9S 22 KTS, 0723 9C 095°T, 0726 9C 100°T, 9S 20 KTS, 0730 9S 12 KTS, 0731 9C 280°T, 0751 9C 110°T, 0752 9C 285°T, 9S 8 KTS, 9C 110°T, 9S 12 KTS, 0753 9S 15 KTS, 0755 9S 20 KTS.

DF Bocke
DF BOCKE, LTJG, USN

09-12 UNDERWAY AS BEFORE. 0926 9C 130° 1011 9S 15 KTS 1027 9C 145° 1028 9C 150° 1030 9C 298° 1031 9S 20 KTS 1033 SET SPECIAL SEA AND HIGHLINE DETAIL 9C 020° 1034 9S 18 KTS 1035 9S 15 KTS 1036 9S 10 KTS 1049 ALONGSIDE USS MT. BAKER (AE-4) WADDELL PORTSIDE TO FOR MAIL TRANSFER ON COURSE 020° SPEED 12 KTS. 1123 ALL LINES CLEAR 9S 18 KTS SECURED SPECIAL SEA AND HIGHLINE DETAIL 1125 9C 286° 1128 9C 325° 1130 9C 320° 1131 9C 286° 1141 9C 148° 1145 9S 20 KTS ENROUTE FOR REFUELING WITH USS CACAPON (AO-52)

P.R. O'Harrow
P.R. O'HARROW, LT, USAF

12-15 UNDERWAY AS BEFORE. 1220 SET SPECIAL SEA AND REFUELING DETAIL. MANEUVERING VARIOUS COURSES AND SPEEDS DURING APPROACH TO USS CACAPON (AO 52). 1252 ALONGSIDE USS CACAPON BASE COURSE 030 BASE SPEED 12 KTS. 1331 9C 027 9S 20 KTS. 1333 9C 285, SECURED FROM SPECIAL SEA AND REFUELING DETAIL. 1345 9C 289.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

EXAMINED

J.T. Alexander
J. T. ALEXANDER, LT, USNR U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADOELL DDG-24DATE 28 THURSDAY NOV, 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1516 $\frac{1}{2}$ 15 KTS. 1553 $\frac{1}{2}$ 310°T. 1606 $\frac{1}{2}$ 255°T.
 1615 $\frac{1}{2}$ 270°T. 1621 $\frac{1}{2}$ 280°T. 1626 $\frac{1}{2}$ 8 KTS. 1651 $\frac{1}{2}$ 270°T. 1704
 $\frac{1}{2}$ 090°T. 1706 $\frac{1}{2}$ 15 KTS. 1708 $\frac{1}{2}$ 8 KTS. 1745 $\frac{1}{2}$ 15 KTS.
 1746 $\frac{1}{2}$ 270°T. 1748 $\frac{1}{2}$ 8 KTS.

D.W. Kumpers
 D.W. KUMBERS LT USNR

18-21 UNDERWAY AS BEFORE. 1821 $\frac{1}{2}$ 090°T, $\frac{1}{2}$ 10 KTS. 1822 $\frac{1}{2}$ 12 KTS.
 1923 $\frac{1}{2}$ 8 KTS. 1934 $\frac{1}{2}$ 270°T. 2040 $\frac{1}{2}$ 310°T, $\frac{1}{2}$ 20 KTS. 2041 CONDITION
 OF READINESS II SET. 2051 $\frac{1}{2}$ 2 KTS. 2053 $\frac{1}{2}$ 10 KTS. 2055 $\frac{1}{2}$ 4 KTS.

DF B. Little
 DF BETHBILS, LT USNR

21-24 UNDERWAY AS BEFORE 2102 COMMENCED FIRING SPOTTED MISSION
 2123 CEASED FIRE ROUNDS EXPENDED = 24 5"54 CAL. HIGH EXPLOSIVE PRO-
 JECTILES 2125 $\frac{1}{2}$ 15 KTS $\frac{1}{2}$ 130° SET CONDITION OF READINESS II AND
 MATERIAL CONDITION YOKE 2128 $\frac{1}{2}$ 8 KTS 2200 $\frac{1}{2}$ 090° 2244 $\frac{1}{2}$ 270°
 2342 $\frac{1}{2}$ 12 KTS $\frac{1}{2}$ 090° 2345 $\frac{1}{2}$ 8 KTS

P.R. O'Harrow
 P.R. O'HARROW LT USNR

EXAMINED:

J. T. Alexander
 J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE FRIDAY 29 NOVEMBER 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM D.M.Z., REPUBLIC OF SOUTH VIETNAM TO

POSITION	ZONE	TIME
0800		
L <u>16-53.3 N</u>	BY <u>2</u>	
λ <u>107-39.0 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-49.9 N</u>	BY <u>2</u>	
λ <u>107-22.2 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-53.7 N</u>	BY <u>2</u>	
λ <u>107-22.1 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-03~~ ^{STEAMING} UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE, ~~STEAMING~~ INDEPENDENTLY AS A UNIT OF CTU 70.8.9 MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. SOPA AND OTC ARE CTU 70.8.9 WHO IS COMDESRON 13 EMBARKED THIS SHIP. STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 70 BETWEEN NORTH-SOUTH GRID LINES 45 AND 60.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

03-06 UNDERWAY AS BEFORE.

D.W. Karpers
D.W. KARPERS, LT, USNR

06-09 UNDERWAY AS BEFORE. 0623 % 090° 0632 % 095° 0640 % 270° 0643 % 8 KTS. 0703 % 095° 0712 KTS. 0714 % 12 KTS. 0720 KTS. 0803 % 15 KTS. 0807 % 110° 0809 % 18 KTS. 0813 % 106° THE SPECIAL SEA AND REPLENISHMENT DETAIL SET. MANEUVERING TO TAKE STATION ALONG STARBOARD SIDE OF USS CHARA (AE-31), BASE COURSE 100°T, BASE SPEED 12 KTS. 0828 SHOTLINES OVER. COMMENCED RIGGING FOR REARMAMENT FROM USS CHARA.

D.F. Bullock
D.F. BULLOCK, LTJG, USNR

09-12 UNDERWAY AS BEFORE 0944 ALL LINES CLEAR FROM CHARA % 20 KTS % 101° 0945 % 280° 0946 SECURED SPECIAL SEA AND REPLENISHMENT DETAIL 0957 % 275° 1024 SET SABOTAGE ALERT TEAM AND GENERAL QUARTERS - DRILL 1036 SECURED SABOTAGE ALERT TEAM 1120 % 265° 1124 SECURED FROM GENERAL QUARTERS SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. 1133 % 8 KTS 1137 % 235 1148 % 100°

P.R. Harrow
P.R. CHARROW LT (USA)

12-15 UNDERWAY AS BEFORE. 1159 % 085. 1229 % 270. 1244 % 090 % 12 KTS AND SET THE SPECIAL SEA AND HIGHLINE DETAIL. 1317 RECEIVED USS L.F. MASON (DD-852) ALONGSIDE BASE COURSE 090 BASE SPEED 12 KTS. 1349 % 280. 1351 % 20 KTS, SECURED THE SPECIAL

EXAMINED

J.T. Alexander
J.T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE FRIDAY 29 NOVEMBER 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

SEA AND HIGHLINE DETAIL. 1439 $\% 270^{\circ}$ $\% 8$ KTS. 1440 WHILE STANDING AFTER LOOKOUT WATCH SCHALL, STEVEN E, B83 4438, SA, USN, HAD A KNIFE SLIP TRYING TO ADJUST A PHONE STRAP MAKING A $\frac{1}{2}$ " LACERATION OF LEFT INDEX FINGER. LACERATION CLEANSED, SUTURED, BANDAGED AND SCHALL RETURNED TO DUTY. INJURY NOT DUE TO HIS OWN MISCONDUCT.

D. W. Taylor
D.W. TAYLOR, LTJG, USNR

15-18 UNDERWAY AS BEFORE.

D. W. Kuypers
D.W. KUYPERS, LT, USNR

18-21 UNDERWAY AS BEFORE. 1817 $\% 090^{\circ}$ $\% 12$ KTS. 1828 $\% 100^{\circ}$ 1855 $\% 090^{\circ}$ 1907 $\% 270^{\circ}$ 1912 $\% 275^{\circ}$ $\% 8$ KTS. 2035 $\% 100^{\circ}$ 2027 $\% 090^{\circ}$ 2034 $\% 100^{\circ}$ 2055 $\% 12$ KTS.

D. F. Berkebile
D.F. BERKEBILE, LTJG, USN

21-24 UNDERWAY AS BEFORE 2115 $\% 265^{\circ}$ 2117 $\% 8$ KTS 2125 $\% 270^{\circ}$ 2216 $\% 12$ KTS $\% 090^{\circ}$ 2258 270° 2300 $\% 8$ KTS 2351 $\% 12$ KTS $\% 090^{\circ}$ 2354 $\% 8$ KTS

P. R. O'Harrow
P.R. O'HARROW LT USN

EXAMINED

J. T. Alexander
J. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL ODG 24 ZONE DESCRIPTION -8(H) DATE SATURDAY 30 NOVEMBER 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM DMZ, REPUBLIC OF SOUTH VIETNAM TO

POSITION	ZONE	TIME
0800		
L <u>16-54.8 N</u>	BY <u>2</u>	
λ <u>107-18.6 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>16-58.1 N</u>	BY <u>2</u>	
λ <u>107-15.3 E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-47.7 N</u>	BY <u>2</u>	
λ <u>107-28.2 E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY DEPLOYMENT SCHEDULE, STEAMING INDEPENDENTLY AS A UNIT OF CTU 708.9. MATERIAL CONDITION YOKE AND CONDITION OF READINESS II (MODIFIED) ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED. SOPA AND OTC ARE CTU 708.9 WHO IS COMDESRON 13 EMBARKED THIS SHIP STEERING VARIOUS COURSES AT 8 KNOTS TO REMAIN ON EAST-WEST GRID LINE 70 BETWEEN NORTH-SOUTH GRID LINES 45 AND 60.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

03-06 UNDERWAY AS BEFORE

D.W. Kuyper
D.W. KUYPER, LT, USNR

06-09 UNDERWAY AS BEFORE. 0608 1/2 095°, 1/2 12 KTS. 0611 1/2 8 KTS. 0707 1/2 265°, 1/2 12 KTS. 0710 1/2 8 KTS. 0718 1/2 270°. 0747 1/2 265°. 0758 1/2 095°, 1/2 12 KTS. 0803 1/2 105°. 0804 1/2 10 KTS. 0807 1/2 135°. 0809 1/2 12 KTS. 0810 1/2 080°. 0813 1/2 10 KTS. 0823 SPECIAL HELO DETAIL SET TO RECEIVE PACKAGE. 0826 1/2 1090°. 0834 1/2 115°. 0835 1/2 12 KTS. 0848 1/2 1100°. HELO IS CLEAR TO PORT. 0850 SPECIAL HELO DETAIL SECURED. 0856 1/2 275°.

DR. Berkebile
DR. BERKEBILE, LTJG, USN

09-12 UNDERWAY AS BEFORE. 0901 1/2 8 KTS. 0910 1/2 270°. 0918 1/2 15 KTS. 1/2 275°. 0919 1/2 20 KTS. 0930 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. 0940 1/2 2 KTS. 0947 1/2 15 KTS. 1/2 350°. 0951 1/2 300°. 0955 1/2 4 KT. 1/2 040°. 1005 1/2 055°. 1006 1/2 070°. 1014 1/2 090°. 1036 SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. 1039 1/2 10 KTS. 1/2 220°. 1042 1/2 4 KTS. 1110 1/2 10 KTS. 1/2 045°. 1113 1/2 4 KTS. 1137 1/2 055°.

P.R. O'Harrow
P.R. O'HARROW, LT USAF

12-15 UNDERWAY AS BEFORE. 1155 1/2 12 KTS. 1158 1/2 4 KTS. 1203 1/2 220°. 1223 1/2 215°. 1229 1/2 210°. 1241 1/2 055°. 1257 1/2 060°. 1259 SET CONDITION OF READINESS I AND MATERIAL CONDITION ZEBRA THROUGHOUT THE SHIP. STEAMING VARIOUS COURSES AND SPEEDS DURING CALL FOR FIRE. 1322 COMMENCED FIRE. 1416 CEASED FIRE, 6 ROUNDS EXPENDED. 1431 1/2 265°. 1435 1/2 12 KTS. 1445 SET MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 1450 SECURED FROM GENERAL QUARTERS.

EXAMINED

T. Alexander
T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE SATURDAY, 30 NOVEMBER, 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

12-15 (CONT) CONDITION OF READINESS II (MODIFIED) SET THROUGHOUT THE SHIP.

D. W. Taylor

D. W. TAYLOR, LTJG, USNR.

15-18 UNDERWAY AS BEFORE. 1540 $\frac{1}{2}$ 20 KTS. 1546 SET SPECIAL SEA AND HIGHLINE DETAIL. 1616 USS DUPONT (DD 941) STARBOARD SIDE TO OUR PORT SIDE. BASE COURSE $\phi 90^{\circ}$ T. BASE SPEED. 12 KTS. 1632 SECURED SPECIAL SEA AND HIGHLINE DETAIL. 1709 COMMENCED STEAMING BETWEEN NORTH AND SOUTH UTM GRID CO-ORDINATE LINES 56 AND 75 AND BETWEEN EAST AND WEST UTM GRID CO-ORDINATE LINES 54 AND 63.

D. W. Kuypers

D. W. KUYPERS LT USNR

18-21 UNDERWAY AS BEFORE. 1807 $\frac{1}{2}$ 10 KTS. 1830 $\frac{1}{2}$ 12 KTS 1834 $\frac{1}{2}$ 250°T. 1835 $\frac{1}{2}$ 8 KTS. 1939 $\frac{1}{2}$ $\phi 70^{\circ}$ T, $\frac{1}{2}$ 12 KTS. 1943 $\frac{1}{2}$ 8 KTS. 2000 $\frac{1}{2}$ 10 KTS. 2010 $\frac{1}{2}$ 12 KTS. $\frac{1}{2}$ 260°T. 2013 $\frac{1}{2}$ 8 KTS. 2033 $\frac{1}{2}$ 12 KTS, $\frac{1}{2}$ $\phi 90^{\circ}$ T. 2037 $\frac{1}{2}$ 8 KTS. 2039 $\frac{1}{2}$ $\phi 80^{\circ}$ T. 2041 $\frac{1}{2}$ $\phi 70^{\circ}$ T.

DF Bechtle

DF. BECHTLE LT USN

21-24 UNDERWAY AS BEFORE 2133 $\frac{1}{2}$ 12 KTS $\frac{1}{2}$ 250° 2135 $\frac{1}{2}$ 8 KTS 2214 $\frac{1}{2}$ 12 KTS $\frac{1}{2}$ $\phi 70^{\circ}$ 2217 $\frac{1}{2}$ 8 KTS 2244 $\frac{1}{2}$ 10 KTS $\frac{1}{2}$ 270° 2304 $\frac{1}{2}$ 275° 2319 $\frac{1}{2}$ 265° 2357 $\frac{1}{2}$ 5 KTS $\frac{1}{2}$ 130°

P. R. O'Harrow

P. R. O'HARROW LT USN

EXAMINED:

T. T. Alexander

T. T. ALEXANDER, LT, USNR

U. S. N. NAVIGATOR